



SHOWERS • BATHTUB • BIDETS

CATALOG

Indicators



Mixer



Coldtap



Cartridge



Screw
Fittings



Shower
Head



Aerator



Spout



Basin
Screw



Flexible
Hose



Shower
Holder



Hand
Shower



Kitchen
Spray



Flange



New
Product

Content

STOPCOCK	2
CONCEAL SHOWERS (ROUND)	21
CONCEAL SHOWERS WITH DIVERTER (ROUND)	23
CONCEAL SHOWERS (SQUARE)	25
CONCEAL SHOWERS WITH DIVERTER SQUARE)	27
SHOWER CONNECTOR	29
HAND SHOWER	32
BIG SHOWER HEAD	40
SLIM SHOWER HEAD	41
BRASS SHOWER HEAD	43
ABS SHOWER HEAD	44
SHOWER ARM	48
FIXED SHOWER HEAD	51
SHOWER RAIL	54
BATH SPOUT	57
SHOWER POST	61
POOL SIDE FREE STANDING	65
SCALLOP SERIES	66
2 HANDLES	67
FLOOR STANDING	71
HAND BIDET	73
SHOWER HOLDER	78
FLEXIBLE SHOWER HOSE	78

CONCEAL SHOWERS SERIES

POLISHED CHROME FINISHING



Products Name : Conceal Shower Coldtap with Shower Rose and Shower Arm
 Conceal Shower : 12017T70TX (Page 9)
 Shower Arm : 9A (Page 45)
 Shower Head : 6008A (Page 50)



Products Name : Conceal Shower Mixer with Shower Head and Shower Arm
 Conceal Shower : 3411R + FLANGE10R + H35 (Page 21-22 , Page 25-26)
 Shower Arm : 9E-400 (Page 46)
 Shower Head : SD1025-250 (Page 44)



Products Name : Conceal Shower Mixer with Hand Shower and Shower Connector
 Conceal Shower : 3411R + FLANGE10G + SK35 (Page 21-22 , Page 25-26)
 Shower Connector : 8P (Page 29)
 Hand Shower : HS-SR05 (Page 34)



Products Name : Conceal Shower Mixer with Diverter complete with Hand Shower Rail and Shower Connector and Shower Head and Shower Arm
 Conceal Shower: 3414R + FLANGE11RS + SK35 (Page 23-24, 27-28)
 Shower Connector : 8S (Page 30)
 Hand Shower Rail : SR03 (Page 51)
 Shower Arm : 9E-400 (Page 46)
 Shower Head : SQ2208-200 (Page 42)



Products Name : Conceal 3 Functions Shower Mixer with Diverter complete with Hand Shower with Built in Shower Connector and Bath Spout and Shower Head and Shower Arm
 Conceal Shower : 3415S + FLANGE11S + VM35 (Page 23-24, 27-28)
 Shower Connector : SCH03 (Page 30)
 Hand Shower : HS-1091C (Page 34)
 Shower Arm : SA-9Q-400 (Page 45)
 Shower Head : BSH-S-SLIM250 (Page 39)
 Bath Spout : BS-650 (Page 54)

STOPCOCKS



12017

Products Name : Stopcock - Quarter Turn/Full Turn
 Functions : Control the water flow
 Material : Brass
 Cartridge Type : Brass Cartridge
 Installation Type : Concealed Wall Mounted
 Connector Thread : ½ inch
 Application Place : Individual Bathroom item control, Kitchen, Outdoor and Etc
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 12



12018QT

Products Name : Stopcock - Quarter Turn
 Functions : Control the water flow
 Material : Brass
 Cartridge Type : Brass Cartridge
 Installation Type : Concealed Wall Mounted
 Connector Thread : ¾ inch
 Application Place : Shower area stopcock or water heater
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 12



12018FT

Products Name : Stopcock - Full Turn
 Functions : ¾ inch Cartridge for bigger water flow. To Control the water flow
 Material : Brass
 Cartridge Type : Brass Cartridge
 Installation Type : Concealed Wall Mounted
 Connector Thread : ¾ inch
 Application Place : Bathroom Main Stopcock, Kitchen Main Stopcock, Outdoor and Etc
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 12





12020

Products Name : Stopcock - Full Turn
 Functions : Control the water flow
 Material : Brass
 Cartridge Type : Brass Cartridge
 Installation Type : Concealed Wall Mounted
 Connector Thread : 1 inch
 Application Place : Main Water to Water Tank / Water Tank Outlet
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 12

STOPCOCKS SQ SERIES

POLISHED CHROME FINISHING

STOPCOCK 1/2"





SQ12017CT1QT

- FG-CAT02
- FG-FLANGE07
- FG-TUBE04

SQ12017CT1FT

- FG-CAT01
- FG-FLANGE07
- FG-TUBE04

STOPCOCK 3/4"




SQ12018CT1QT

- FG-CAT02
- FG-FLANGE07
- FG-TUBE04

SQ12018CT1FT

- FG-CAT01
- FG-FLANGE07
- FG-TUBE04

STOPCOCK 1"





SQ12020CT1FT

- FG-CAT10
- FG-FLANGE07
- FG-TUBE04

STOPCOCKS SQ SERIES

POLISHED CHROME FINISHING

STOPCOCK 1/2"





SQ12017CT2QT

▲ FG-CAT02 ● FG-FLANGE07 | FG-TUBE04

SQ12017CT2FT

▲ FG-CAT01 ● FG-FLANGE07 | FG-TUBE04

STOPCOCK 3/4"




SQ12018CT2QT

▲ FG-CAT02 ● FG-FLANGE07 | FG-TUBE04

SQ12018CT2FT

▲ FG-CAT01 ● FG-FLANGE07 | FG-TUBE04

STOPCOCK 1"




SQ12020CT2FT

▲ FG-CAT10 ● FG-FLANGE07 | FG-TUBE04

STOPCOCKS SQ SERIES


POLISHED CHROME FINISHING

STOPCOCK 1/2"



SQ12017CT3QT


- FG-CAT02
- FG-FLANGE07
- FG-TUBE04



SQ12017CT3FT


- FG-CAT01
- FG-FLANGE07
- FG-TUBE04

STOPCOCK 3/4"



SQ12018CT3QT


- FG-CAT02
- FG-FLANGE07
- FG-TUBE04



SQ12018CT3FT

- FG-CAT01
- FG-FLANGE07
- FG-TUBE04

STOPCOCK 1"




SQ12020CT3FT

- FG-CAT10
- FG-FLANGE07
- FG-TUBE04

STOPCOCKS SQ SERIES


POLISHED CHROME FINISHING

STOPCOCK 1/2"



SQ12017CT5QT


 FG-CAT02
  FG-FLANGE07
  FG-TUBE04



SQ12017CT5FT


 FG-CAT01
  FG-FLANGE07
  FG-TUBE04

STOPCOCK 3/4"



SQ12018CT5QT


 FG-CAT02
  FG-FLANGE07
  FG-TUBE04



SQ12018CT5FT

 FG-CAT01
  FG-FLANGE07
  FG-TUBE04

STOPCOCK 1"




SQ12020CT5FT

 FG-CAT10
  FG-FLANGE07
  FG-TUBE04

STOPCOCKS SQ SERIES


POLISHED CHROME FINISHING

STOPCOCK 1/2"



SQ12017W1QT


FG-CAT02
 FG-FLANGED07
 FG-TUBE04



SQ12017W1FT


FG-CAT01
 FG-FLANGED07
 FG-TUBE04

STOPCOCK 3/4"



SQ12018W1QT


FG-CAT02
 FG-FLANGED07
 FG-TUBE04



SQ12018W1FT

FG-CAT01
 FG-FLANGED07
 FG-TUBE04

STOPCOCK 1"




SQ12020W1FT

FG-CAT10
 FG-FLANGED07
 FG-TUBE04

STOPCOCKS X SERIES


POLISHED CHROME FINISHING

STOPCOCK 1/2"



12017F9QTX

FG-CAT02 FG-FLANGE07 FG-TUBE04



12017F9FTX


FG-CAT01 FG-FLANGE07 FG-TUBE04

STOPCOCK 3/4"



12018F9QTX


FG-CAT02 FG-FLANGE07 FG-TUBE04



12018F9FTX

FG-CAT01 FG-FLANGE07 FG-TUBE04

STOPCOCK 1"



12020F9FTX

FG-CAT10 FG-FLANGE07 FG-TUBE04

STOPCOCKS X SERIES

POLISHED CHROME FINISHING

STOPCOCK 1/2"



12017T7QTX


- FG-CAT02
- FG-FLANGE07
- FG-TUBE04



12017T7FTX


- FG-CAT01
- FG-FLANGE07
- FG-TUBE04

STOPCOCK 3/4"



12018T7QTX

- FG-CAT02
- FG-FLANGE07
- FG-TUBE04



12018T7FTX

- FG-CAT01
- FG-FLANGE07
- FG-TUBE04

STOPCOCK 1"



12020T7FTX

- FG-CAT10
- FG-FLANGE07
- FG-TUBE04

STOPCOCKS X SERIES

POLISHED CHROME FINISHING

STOPCOCK 1/2"



12017C2QTX

- FG-CAT02
- FG-FLANGE07
- FG-TUBE04



12017C2FTX


- FG-CAT01
- FG-FLANGE07
- FG-TUBE04

STOPCOCK 3/4"



12018C2QTX


- FG-CAT02
- FG-FLANGE07
- FG-TUBE04



12018C2FTX

- FG-CAT01
- FG-FLANGE07
- FG-TUBE04

STOPCOCK 1"





12020C2FTX

- FG-CAT10
- FG-FLANGE07
- FG-TUBE04

STOPCOCKS X SERIES

POLISHED CHROME FINISHING

STOPCOCK 1/2"





12017A9QTX

- FG-CAT02
- FG-FLANGE08
- FG-TUBE04

12017A9FTX

- FG-CAT01
- FG-FLANGE08
- FG-TUBE04

STOPCOCK 3/4"




12018A9QTX

- FG-CAT02
- FG-FLANGE08
- FG-TUBE04

12018A9FTX

- FG-CAT01
- FG-FLANGE08
- FG-TUBE04

STOPCOCK 1"




12020A9FTX

- FG-CAT10
- FG-FLANGE08
- FG-TUBE04

STOPCOCKS X SERIES


POLISHED CHROME FINISHING

STOPCOCK 1/2"



12017FMQTX

▲ FG-CAT02 ● FG-FLANGE08 | FG-TUBE04



12017FMFTX


▲ FG-CAT01 ● FG-FLANGE08 | FG-TUBE04

STOPCOCK 3/4"



12018FMQTX

▲ FG-CAT02 ● FG-FLANGE08 | FG-TUBE04



12018FMFTX

▲ FG-CAT01 ● FG-FLANGE08 | FG-TUBE04

STOPCOCK 1"




12020FMFTX

▲ FG-CAT01 ● FG-FLANGE08 | FG-TUBE04

STOPCOCKS X SERIES


POLISHED CHROME FINISHING

STOPCOCK 1/2"



12017X2QTX


- FG-CAT02
- FG-FLANGE08
- FG-TUBE04



12017X2FTX


- FG-CAT01
- FG-FLANGE08
- FG-TUBE04

STOPCOCK 3/4"



12018X2QTX


- FG-CAT02
- FG-FLANGE08
- FG-TUBE04



12018X2FTX

- FG-CAT01
- FG-FLANGE08
- FG-TUBE04

STOPCOCK 1"





12020X2FTX

- FG-CAT10
- FG-FLANGE08
- FG-TUBE04

STOPCOCKS P SERIES

POLISHED CHROME FINISHING

STOPCOCK 1/2"





12017F9QT

- FG-CAT02
- FG-FLANGE09
- FG-TUBE04

12017F9FT

- FG-CAT01
- FG-FLANGE09
- FG-TUBE04

STOPCOCK 3/4"




12018F9QT

- FG-CAT02
- FG-FLANGE09
- FG-TUBE04

12018F9FT

- FG-CAT01
- FG-FLANGE09
- FG-TUBE04

STOPCOCK 1"





12020F9FT

- FG-CAT10
- FG-FLANGE09
- FG-TUBE04

STOPCOCKS P SERIES

POLISHED CHROME FINISHING

STOPCOCK 1/2"





12017T7QT

FG-CAT02 FG-FLANGE09 FG-TUBE04

12017T7FT

FG-CAT01 FG-FLANGE09 FG-TUBE04

STOPCOCK 3/4"




12018T7QT

FG-CAT02 FG-FLANGE09 FG-TUBE04

12018T7FT

FG-CAT01 FG-FLANGE09 FG-TUBE04

STOPCOCK 1"




12020T7FT

FG-CAT10 FG-FLANGE09 FG-TUBE04

STOPCOCKS P SERIES

POLISHED CHROME FINISHING

STOPCOCK 1/2"



12017T6QT

FG-CAT02

FG-FLANGE09

FG-TUBE04



12017T6FT

FG-CAT01

FG-FLANGE09

FG-TUBE04

STOPCOCK 3/4"




12018T6QT

FG-CAT02

FG-FLANGE09

FG-TUBE04




12018T6FT

FG-CAT01

FG-FLANGE09

FG-TUBE04

STOPCOCK 1"



12020T6FT

FG-CAT10



FG-FLANGE09

FG-TUBE04

STOPCOCKS P SERIES

POLISHED CHROME FINISHING

STOPCOCK 1/2"





12017T5QT

FG-CAT02 FG-FLANGE09 FG-TUBE04

12017T5FT

FG-CAT01 FG-FLANGE09 FG-TUBE04

STOPCOCK 3/4"




12018T5QT

FG-CAT02 FG-FLANGE09 FG-TUBE04

12018T5FT

FG-CAT01 FG-FLANGE09 FG-TUBE04

STOPCOCK 1"





12020T5FT

FG-CAT10 FG-FLANGE09 FG-TUBE04

STOPCOCKS P SERIES

POLISHED CHROME FINISHING

STOPCOCK 1/2"





12017E1QT

FG-CAT02
 FG-FLANGE09
 FG-TUBE04

12017E1FT

FG-CAT01
 FG-FLANGE09
 FG-TUBE04

STOPCOCK 3/4"




12018E1QT

FG-CAT02
 FG-FLANGE09
 FG-TUBE04

12018E1FT

FG-CAT01
 FG-FLANGE09
 FG-TUBE04

STOPCOCK 1"




12020E1FT

FG-CAT01
 FG-FLANGE09
 FG-TUBE04

STOPCOCKS P SERIES


POLISHED CHROME FINISHING

STOPCOCK 1/2"



12017E3QT

FG-CAT02 FG-FLANGE09 FG-TUBE04



12017E3FT

FG-CAT01 FG-FLANGE09 FG-TUBE04

STOPCOCK 3/4"



12018E3QT

FG-CAT02 FG-FLANGE09 FG-TUBE04



12018E3FT

FG-CAT01 FG-FLANGE09 FG-TUBE04

STOPCOCK 1"



12020E3FT

FG-CAT10 FG-FLANGE09 FG-TUBE04

STOPCOCKS P SERIES


POLISHED CHROME FINISHING

STOPCOCK 1/2"



12017F5QT

- FG-CAT02
- FG-FLANGE09
- FG-TUBE04



12017F5FT


- FG-CAT01
- FG-FLANGE09
- FG-TUBE04

STOPCOCK 3/4"



12018F5QT

- FG-CAT02
- FG-FLANGE09
- FG-TUBE04



12018F5FT

- FG-CAT01
- FG-FLANGE09
- FG-TUBE04

STOPCOCK 1"



12020F5FT


- FG-CAT10
- FG-FLANGE09
- FG-TUBE04

CONCEAL SHOWERS SERIES


POLISHED CHROME FINISHING




3411R+FLANGE10R+SN



3411R+FLANGE10R+DA



3411R+FLANGE10G+H




3411R+FLANGE10G+A29

CONCEAL SHOWERS SERIES

POLISHED CHROME FINISHING


Body



3412R



Products Name : Single Lever Concealed Bath Shower Coldtap
 Material : Brass
 Functions : One Function
 Installation Type : Wall Mounted
 Cartridge Type : \varnothing 35mm Ceramic Cartridge
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : No
 Water Connector Thread : $\frac{1}{2}$ inch
 Minimum Water Pressure (Bar) : 1.5
 Maximum Water Pressure (Bar) : 8




3411R



Products Name : Single Lever Concealed Bath Shower Mixer
 Material : Brass
 Functions : One Function
 Installation Type : Wall Mounted
 Cartridge Type : \varnothing 35mm Ceramic Cartridge
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : No
 Water Connector Thread : $\frac{1}{2}$ inch
 Minimum Water Pressure (Bar) : 1.5
 Maximum Water Pressure (Bar) : 8

Flange



FG-FLANGE10R

Description : Wall Flange
 Usage: Conceal Shower
 Material : Stainless Steel
 Finishing : Chromed
 Thickness: 0.8mm




FG-FLANGE10G

Description : Wall Flange
 Usage: Conceal Shower
 Material : Stainless Steel
 Finishing : Chromed
 Thickness: 0.8mm



FG-FLANGE10RS

Description : Wall Flange
 Usage: Conceal Shower
 Material : Stainless Steel
 Finishing : Chromed
 Thickness: 0.8mm



FG-FLANGE12R1

Description : Wall Flange
 Usage: Conceal Shower
 Material : Stainless Steel
 Finishing : Chromed
 Thickness: 3mm

Handle



H

Description :Handle
 Material : Zinc
 Finishing : Chromed
 Size: 35mm \varnothing



A29

Description :Handle
 Material : Zinc
 Finishing : Chromed
 Size: 35mm \varnothing



LA

Description :Handle
 Material : Zinc
 Finishing : Chromed
 Size: 35mm \varnothing



DA

Description :Handle
 Material : Zinc
 Finishing : Chromed
 Size: 35mm \varnothing



SN

Description :Handle
 Material : Zinc
 Finishing : Chromed
 Size: 35mm \varnothing



FM

Description :Handle
 Material : Zinc
 Finishing : Chromed
 Size: 35mm \varnothing



SK

Description :Handle
 Material : Zinc
 Finishing : Chromed
 Size: 35mm \varnothing



LG

Description :Handle
 Material : Zinc
 Finishing : Chromed
 Size: 35mm \varnothing



NR

Description :Handle
 Material : Zinc
 Finishing : Chromed
 Size: 35mm \varnothing




GB


Description :Handle
 Material : Zinc
 Finishing : Chromed
 Size: 35mm \varnothing

CONCEAL SHOWERS WITH DIVERTER


POLISHED CHROME FINISHING



3414R+FLANGE11R+SN



3414R+FLANGE11G+H




3414R+FLANGE11RS+SK

CONCEAL SHOWERS SERIES

POLISHED CHROME FINISHING


Body



3415R



Products Name : Single Lever Concealed Bath Shower Mixer
 Material : Brass
 Functions : Three Functions
 Installation Type : Wall Mounted
 Cartridge Type : ø35mm Ceramic Cartridge
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : No
 Water Connector Thread : ½ inch
 Minimum Water Pressure (Bar) : 1.5
 Maximum Water Pressure (Bar) : 8




3414R



Products Name : Single Lever Concealed Bath Shower Mixer
 Material : Brass
 Functions : Two Functions
 Installation Type : Wall Mounted
 Cartridge Type : ø35mm Ceramic Cartridge
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : No
 Water Connector Thread : ½ inch
 Minimum Water Pressure (Bar) : 1.5
 Maximum Water Pressure (Bar) : 8

Flange



FG-FLANGEI1R

Description : Wall Flange
 Usage: Conceal Shower with Diverter
 Material : Stainless Steel
 Finishing : Chromed
 Thickness: 0.8mm




FG-FLANGEI1G

Description : Wall Flange
 Usage: Conceal Shower with Diverter
 Material : Stainless Steel
 Finishing : Chromed
 Thickness: 0.8mm



FG-FLANGEI1RS

Description : Wall Flange
 Usage: Conceal Shower with Diverter
 Material : Stainless Steel
 Finishing : Chromed
 Thickness: 0.8mm



FG-FLANGEI2R2

Description : Wall Flange
 Usage: Conceal Shower with Diverter
 Material : Stainless Steel
 Finishing : Chromed
 Thickness: 3mm

Handle



H

Description :Handle
 Material : Zinc
 Finishing : Chromed
 Size: 35mmø



A29

Description :Handle
 Material : Zinc
 Finishing : Chromed
 Size: 35mmø



LA

Description :Handle
 Material : Zinc
 Finishing : Chromed
 Size: 35mmø



DA

Description :Handle
 Material : Zinc
 Finishing : Chromed
 Size: 35mmø



SN

Description :Handle
 Material : Zinc
 Finishing : Chromed
 Size: 35mmø



FM

Description :Handle
 Material : Zinc
 Finishing : Chromed
 Size: 35mmø



SK

Description :Handle
 Material : Zinc
 Finishing : Chromed
 Size: 35mmø



LG

Description :Handle
 Material : Zinc
 Finishing : Chromed
 Size: 35mmø



NR

Description :Handle
 Material : Zinc
 Finishing : Chromed
 Size: 35mmø




GB

Description :Handle
 Material : Zinc
 Finishing : Chromed
 Size: 35mmø

CONCEAL SHOWERS SQUARE

POLISHED CHROME FINISHING




3611S+FLANGE10SL+VM

3611S+FLANGE12S1+VM

CONCEAL SHOWERS SQUARE

POLISHED CHROME FINISHING


Body



3611S

Products Name : Single Lever Concealed Bath Shower Mixer
 Material : Brass
 Functions : One Function
 Installation Type : Wall Mounted
 Cartridge Type : ø35mm Ceramic Cartridge
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : No
 Water Connector Thread : ½ inch
 Minimum Water Pressure (Bar) : 1.5
 Maximum Water Pressure (Bar) : 8

FG-CAT03






3612S

Products Name : Single Lever Concealed Bath Shower Coldtap
 Material : Brass
 Functions : One Function
 Installation Type : Wall Mounted
 Cartridge Type : ø35mm Ceramic Cartridge
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : No
 Water Connector Thread : ½ inch
 Minimum Water Pressure (Bar) : 1.5
 Maximum Water Pressure (Bar) : 8

FG-CAT03

Flange



FG-FLANGE10S

Description : Wall Flange
 Usage: Conceal Shower
 Material : Stainless Steel
 Finishing : Chromed
 Thickness: 0.8mm

FG-FLANGE10SL

Description : Wall Flange
 Usage: Conceal Shower
 Material : Stainless Steel
 Finishing : Chromed
 Thickness: 0.8mm

FG-FLANGE12S1

Description : Wall Flange
 Usage: Conceal Shower
 Material : Stainless Steel
 Finishing : Chromed
 Thickness: 3mm

Handle




HANDLE-VM35


Description : Handle
 Material : Zinc
 Finishing : Chromed

CONCEAL SHOWERS SQUARE

POLISHED CHROME FINISHING



3614S+FLANGE11S+VM




3614S+FLANGE12S2+VM

CONCEAL SHOWERS SQUARE

POLISHED CHROME FINISHING

Body




3615S



Products Name : Single Lever Concealed Bath Shower Mixer
 Material : Brass
 Functions : Three Functions
 Installation Type : Wall Mounted
 Cartridge Type : \varnothing 35mm Ceramic Cartridge
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : No
 Water Connector Thread : $\frac{1}{2}$ inch
 Minimum Water Pressure (Bar) : 1.5
 Maximum Water Pressure (Bar) : 8

FG-CAT03




3614S



Products Name : Single Lever Concealed Bath Shower Mixer
 Material : Brass
 Functions : Two Functions
 Installation Type : Wall Mounted
 Cartridge Type : \varnothing 35mm Ceramic Cartridge
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : No
 Water Connector Thread : $\frac{1}{2}$ inch
 Minimum Water Pressure (Bar) : 1.5
 Maximum Water Pressure (Bar) : 8


FG-CAT03

Flange



FG-FLANGE11S

Description : Wall Flange
 Material : Stainless Steel
 Finishing : Chromed
 Thickness: 0.8mm



FG-FLANGE12S2

Description : Wall Flange
 Material : Stainless Steel
 Finishing : Chromed
 Thickness: 3mm

Handle




HANDLE-VM35

Description : Handle
 Material : Zinc
 Finishing : Chromed


SHOWER CONNECTOR SERIES

POLISHED CHROME FINISHING




SC-8N

Products Name : Shower Connector
 Functions : Allow water flow through the hand shower
 Material : Brass
 Installation Type : Wall Mounted
 Application Place : Bathroom, Garden, Outdoor and etc
 Inlet Connector Thread : ½ inch
 Outlet Connector Thread : ½ inch




SC-8M

Products Name : Shower Connector
 Functions : Allow water flow through the hand shower
 Material : Brass
 Installation Type : Wall Mounted
 Application Place : Bathroom, Garden, Outdoor and etc
 Inlet Connector Thread : ½ inch
 Outlet Connector Thread : ½ inch



SC-8R

Products Name : Shower Connector
 Functions : Allow water flow through the hand shower
 Material : ABS
 Installation Type : Wall Mounted
 Application Place : Bathroom, Garden, Outdoor and etc
 Inlet Connector Thread : ½ inch
 Outlet Connector Thread : ½ inch




SC-8P

Products Name : Shower Connector
 Functions : Allow water flow through the hand shower
 Material : Brass
 Installation Type : Wall Mounted
 Application Place : Bathroom, Garden, Outdoor and etc
 Inlet Connector Thread : ½ inch
 Outlet Connector Thread : ½ inch


SHOWER CONNECTOR SERIES

POLISHED CHROME FINISHING




SC-8S

Products Name : Shower Connector
 Functions : Allow water flow through the hand shower
 Material : Brass
 Installation Type : Wall Mounted
 Application Place : Bathroom, Garden, Outdoor and etc
 Inlet Connector Thread : ½ inch
 Outlet Connector Thread : ½ inch




SCH01

Products Name : Shower Connector with Holder
 Functions : Allow water flow through the hand shower and put on holder
 Material : Brass
 Installation Type : Wall Mounted
 Application Place : Bathroom, Garden, Outdoor and etc
 Inlet Connector Thread : ½ inch
 Outlet Connector Thread : ½ inch



SCH02

Products Name : Shower Connector with Holder
 Functions : Allow water flow through the hand shower and put on holder
 Material : Brass
 Installation Type : Wall Mounted
 Application Place : Bathroom, Garden, Outdoor and etc
 Inlet Connector Thread : ½ inch
 Outlet Connector Thread : ½ inch



SCH03

Products Name : Shower Connector with Holder
 Functions : Allow water flow through the hand shower and put on holder
 Material : Brass
 Installation Type : Wall Mounted
 Application Place : Bathroom, Garden, Outdoor and etc
 Inlet Connector Thread : ½ inch
 Outlet Connector Thread : ½ inch




202SH

Products Name : Angle Valve with Shower Holder
 Functions : Allow water flow through the hand shower and put on holder
 Material : Brass
 Installation Type : Wall Mounted
 Application Place : Bathroom, Garden, Outdoor and etc
 Inlet Connector Thread : ½ inch
 Outlet Connector Thread : ½ inch


SHOWER CONNECTOR SERIES

POLISHED CHROME FINISHING

AV222




Products Name : Angle Valve with Holder – Quarter Turn
 Functions : Adjust the Water Flow
 Material : Brass
 Aerator Type : No
 Cartridge Type : Brass Cartridge
 Installation Type : Wall Mounted
 Application Place : Bathroom, Kitchen, Garden, Outdoor and etc
 Connector Thread : ½ inch
 Water Saving Function : No
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7




AV333

Products Name : Angle Valve with Holder – Quarter Turn
 Functions : Adjust the Water Flow
 Material : Brass
 Aerator Type : No
 Cartridge Type : Brass Cartridge
 Installation Type : Wall Mounted
 Application Place : Bathroom, Kitchen, Garden, Outdoor and etc
 Connector Thread : ½ inch
 Water Saving Function : No
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7




HB-AV333XL

Products Name : Angle Valve with Holder and Big Flange
 Functions : Adjust the Water Flow
 Material : Brass
 Aerator Type : No
 Cartridge Type : Brass Cartridge
 Installation Type : Wall Mounted
 Application Place : Bathroom, Garden, Outdoor and Etc
 Water Saving Function : No
 Water Connector Thread : ½ inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



SHB01

Products Name : Shower Holder
 Functions : Put Hand Shower, Hand Bidet and etc
 Material : Brass
 Installation Type : Wall Mounted
 Application Place : Bathroom, Garden, Outdoor and etc




SHB02

Products Name : Shower Holder
 Functions : Put Hand Shower, Hand Bidet and etc
 Material : Brass
 Installation Type : Wall Mounted
 Application Place : Bathroom, Garden, Outdoor and etc

HAND-SHOWER SERIES


POLISHED CHROME FINISHING (SINGLE FUNCTION)



HS-1068

Water Efficiency
★★★
6.7L/min


Products Name : Hand Shower Set c/w Shower Holder + 1.5m Heavy Duty Double Interlock SS Shower Hose
 Functions : Distribute the water flow over the body
 Material : ABS
 Connector Thread : 1/2 inch
 Installation Type : Connect to Flexible Hose
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



HS-DS1004


Water Efficiency
★★★
6.5L/min

Products Name : Hand Shower Set c/w Shower Holder + 1.5m Heavy Duty Double Interlock SS Shower Hose
 Functions : Distribute the water flow over the body
 Material : ABS
 Connector Thread : 1/2 inch
 Installation Type : Connect to Flexible Hose
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



HS-1303 (ABS)

Products Name : Hand Shower Set c/w Shower Holder + 1.5m Heavy Duty Double Interlock SS Shower Hose
 Functions : Distribute the water flow over the body
 Material : ABS
 Connector Thread : 1/2 inch
 Installation Type : Connect to Flexible Hose
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



HS-1303A

Products Name : Hand Shower Set c/w Shower Holder + 1.5m Heavy Duty Double Interlock SS Shower Hose
 Functions : Distribute the water flow over the body
 Material : ABS
 Connector Thread : 1/2 inch
 Installation Type : Connect to Flexible Hose
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7

HAND-Shower SERIES


POLISHED CHROME FINISHING (SINGLE FUNCTION)



HS-2188C

Water Efficiency
★★★
5.8L/min


Products Name : Hand Shower Set c/w Shower Holder + 1.5m Heavy Duty Double Interlock SS Shower Hose
 Functions : Distribute the water flow over the body
 Material : ABS
 Connector Thread : 1/2 inch
 Installation Type : Connect to Flexible Hose
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



HS-7051A1


Water Efficiency
★★★
5.1L/min

Products Name : Hand Shower Set c/w Shower Holder + 1.5m Heavy Duty Double Interlock SS Shower Hose
 Functions : Distribute the water flow over the body
 Material : ABS
 Connector Thread : 1/2 inch
 Installation Type : Connect to Flexible Hose
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



HS-7002A

Products Name : Hand Shower Set c/w Shower Holder + 1.5m Heavy Duty Double Interlock SS Shower Hose
 Functions : Distribute the water flow over the body
 Material : ABS
 Connector Thread : 1/2 inch
 Installation Type : Connect to Flexible Hose
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7




HS-1091C

Water Efficiency
★★★
5.7L/min

Products Name : Hand Shower Set c/w Shower Holder + 1.5m Heavy Duty Double Interlock SS Shower Hose
 Functions : Distribute the water flow over the body
 Material : ABS
 Connector Thread : 1/2 inch
 Installation Type : Connect to Flexible Hose
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7

HAND-Shower SERIES

POLISHED CHROME FINISHING (SINGLE FUNCTION)



HS-SR05

Water Efficiency
★★
6.2L/min

Products Name : Hand Shower Set c/w Shower Holder +
1.5m Heavy Duty Double Interlock SS Shower Hose
Functions : Distribute the water flow over the body
Material : ABS
Connector Thread : ½ inch
Installation Type : Connect to Flexible Hose
Application Place : Bathroom, Outdoor and Etc
Water Saving Function : Available / Optional
Minimum Water Pressure (Bar) : 1
Maximum Water Pressure (Bar) : 7



HS-2502C

Products Name : Hand Shower Set c/w Shower Holder +
1.5m Heavy Duty Double Interlock SS Shower Hose
Functions : Distribute the water flow over the body
Functions : 2 Functions - Press and Hold to Spray,
Release to normal water flow
Material : ABS
Connector Thread : ½ inch
Installation Type : Connect to Flexible Hose
Application Place : Bathroom, Outdoor and Etc
Water Saving Function : Available / Optional
Minimum Water Pressure (Bar) : 1
Maximum Water Pressure (Bar) : 7




HS-2502-BL

Products Name : Hand Shower Set c/w Shower Holder +
1.5m Heavy Duty Double Interlock SS Shower Hose
Functions : Distribute the water flow over the body
Functions : 2 Functions - Press and Hold to Spray,
Release to normal water flow
Finishing : Black Coating
Material : ABS
Connector Thread : ½ inch
Installation Type : Connect to Flexible Hose
Application Place : Bathroom, Outdoor and Etc
Water Saving Function : Available / Optional
Minimum Water Pressure (Bar) : 1
Maximum Water Pressure (Bar) : 7

HAND-Shower SERIES

POLISHED CHROME FINISHING (MULTI-FUNCTION)



HS-3014




Products Name : Hand Shower Set c/w Shower Holder + 1.5m Heavy Duty Double Interlock SS Shower Hose
 Functions : Distribute the water flow over the body
 Functions : 5 Functions (Turn to change)
 Material : ABS
 Connector Thread : 1/2 inch
 Installation Type : Connect to Flexible Hose/Wall Mounted
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7




HS-DS5003

Products Name : Hand Shower Set c/w Shower Holder + 1.5m Heavy Duty Double Interlock SS Shower Hose
 Functions : Distribute the water flow over the body
 Functions : 5 Functions (Turn to change)
 Material : ABS
 Connector Thread : 1/2 inch
 Installation Type : Connect to Flexible Hose/Wall Mounted
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



HS-4188C

Products Name : Hand Shower Set c/w Shower Holder + 1.5m Heavy Duty Double Interlock SS Shower Hose
 Functions : Distribute the water flow over the body
 Functions : 5 Functions (Turn to change)
 Material : ABS
 Connector Thread : 1/2 inch
 Installation Type : Connect to Flexible Hose/Wall Mounted
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



HS-1125B



Products Name : Hand Shower Set c/w Shower Holder + 1.5m Heavy Duty Double Interlock SS Shower Hose
 Functions : Distribute the water flow over the body
 Functions : 5 Functions (Turn to change)
 Material : ABS
 Connector Thread : 1/2 inch
 Installation Type : Connect to Flexible Hose/Wall Mounted
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7

HAND-Shower SERIES


POLISHED CHROME FINISHING (MULTI-FUNCTION)



HS-SR03

Water Efficiency
★★★
5.1L/min

Products Name : Hand Shower Set c/w Shower Holder + 1.5m Heavy Duty Double Interlock SS Shower Hose
 Functions : Distribute the water flow over the body
 Functions : 5 Functions (Turn to change)
 Material : ABS
 Connector Thread : ½ inch
 Installation Type : Connect to Flexible Hose/Wall Mounted
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



HS-3304

Water Efficiency
★★
6.7L/min


Products Name : Hand Shower Set c/w Shower Holder + 1.5m Heavy Duty Double Interlock SS Shower Hose
 Functions : Distribute the water flow over the body
 Functions : 3 Functions (Turn to change)
 Material : ABS
 Connector Thread : ½ inch
 Installation Type : Connect to Flexible Hose/Wall Mounted
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



HS-8009WT

Water Efficiency
★★
6.6L/min

Products Name : Hand Shower Set c/w Shower Holder + 1.5m Heavy Duty Double Interlock SS Shower Hose
 Functions : Distribute the water flow over the body
 Functions : 3 Functions (Turn to change)
 Material : ABS
 Connector Thread : ½ inch
 Installation Type : Connect to Flexible Hose/Wall Mounted
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



HS-SR06

Water Efficiency
★★
5.4L/min

Products Name : Hand Shower Set c/w Shower Holder + 1.5m Heavy Duty Double Interlock SS Shower Hose
 Functions : Distribute the water flow over the body
 Functions : 5 Functions (Turn to change)
 Material : ABS
 Connector Thread : ½ inch
 Installation Type : Connect to Flexible Hose/Wall Mounted
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7

HAND-SHOWER SERIES

POLISHED CHROME FINISHING (MULTI-FUNCTION)



NEW PRODUCT **HS-D28**


Products Name : Hand Shower Set c/w Shower Holder + 1.5m Heavy Duty Double Interlock SS Shower Hose
 Functions : 3
 Material : ABS
 Connector Thread : ½ inch
 Installation Type : Connect to Flexible Hose
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



NEW PRODUCT **HS-8040**

Water Efficiency
 ★★★
 5.5L/min

Products Name : Hand Shower Set c/w Shower Holder + 1.5m Heavy Duty Double Interlock SS Shower Hose
 Functions : Distribute the water flow over the body
 Functions : 8 Functions (Press to change)
 Material : ABS
 Finishing : Chrome
 Connector Thread : ½ inch
 Installation Type : Connect to Flexible Hose
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



NEW PRODUCT **HS-3032**

Water Efficiency
 ★★
 5.1L/min

Products Name : Hand Shower Set c/w Shower Holder + 1.5m Heavy Duty Double Interlock SS Shower Hose
 Functions : Distribute the water flow over the body
 Functions : Multi Function (Turn to change)
 Material : ABS
 Finishing : Chrome
 Connector Thread : ½ inch
 Installation Type : Connect to Flexible Hose
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



NEW PRODUCT **HS-3031**

Water Efficiency
 ★★★
 5.5L/min

Products Name : Hand Shower Set c/w Shower Holder + 1.5m Heavy Duty Double Interlock SS Shower Hose
 Functions : Distribute the water flow over the body
 Functions : Multi Functions (Turn to change)
 Material : ABS
 Finishing : Chrome
 Connector Thread : ½ inch
 Installation Type : Connect to Flexible Hose
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7

HAND-SHOWER SERIES

BLACK COATING FINISHING (MULTI-FUNCTION)



HS-3013-BL

Products Name : Hand Shower Set c/w Shower Holder + 1.5m Heavy Duty Double Interlock SS Shower Hose
 Functions : Distribute the water flow over the body
 Functions : 3 Functions (Press to change)
 Material : ABS
 Connector Thread : ½ inch
 Installation Type : Connect to Flexible Hose
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



NEW PRODUCT HS-8040-BL

Water Efficiency
 ★★★
 5.5L/min

Products Name : Hand Shower Set c/w Shower Holder + 1.5m Black Nylon Shower Hose
 Functions : Distribute the water flow over the body
 Functions : 8 Functions (Press to change)
 Material : ABS
 Finishing : Black
 Connector Thread : ½ inch
 Installation Type : Connect to Flexible Hose
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



NEW PRODUCT HS-3032-BL

Water Efficiency
 ★★
 5.1L/min

Products Name : Hand Shower Set c/w Shower Holder + 1.5m Black Nylon Shower Hose
 Functions : Distribute the water flow over the body
 Functions : Multi Function (Turn to change)
 Material : ABS
 Finishing : Black
 Connector Thread : ½ inch
 Installation Type : Connect to Flexible Hose
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



NEW PRODUCT HS-3031-BL

Water Efficiency
 ★★★
 5.5L/min

Products Name : Hand Shower Set c/w Shower Holder + 1.5m Black Nylon Shower Hose
 Functions : Distribute the water flow over the body
 Functions : Multi Functions (Turn to change)
 Material : ABS
 Finishing : Black
 Connector Thread : ½ inch
 Installation Type : Connect to Flexible Hose
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7

HAND-Shower SERIES

POLISHED CHROME FINISHING (SINGLE-FUNCTION)

BRASS HAND SHOWER



HS-1303B

Products Name : Hand Shower Set c/w Shower Holder +
 1.5m Heavy Duty Double Interlock SS Shower Hose
 Functions : Distribute the water flow over the body
 Material : Brass
 Connector Thread : 1/2 inch
 Installation Type : Connect to Flexible Hose
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



HS-1303S

Products Name : Hand Shower Set c/w Shower Holder +
 1.5m Heavy Duty Double Interlock SS Shower Hose
 Functions : Distribute the water flow over the body
 Material : Brass
 Connector Thread : 1/2 inch
 Installation Type : Connect to Flexible Hose
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7




HS-1333

Products Name : Hand Shower Set c/w Shower Holder +
 1.5m Heavy Duty Double Interlock SS Shower Hose
 Functions : Distribute the water flow over the body
 Material : Brass
 Connector Thread : 1/2 inch
 Installation Type : Connect to Flexible Hose
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7


BIG SHOWER HEAD SERIES

MIRROR POLISHED FINISHING



BSH-865A-400

Products Name : Big Rain Shower Head C/W Shower Arm - Square
 Functions : Distribute the water flow over the body
 Material : Stainless Steel 304
 Connector Thread : ½ inch
 Dimension/Diameter : Length 400mm x Width 400mm
 Installation Type : Ceiling Mounted
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7




BSH-865A-500

Products Name : Big Rain Shower Head C/W Shower Arm - Square
 Functions : Distribute the water flow over the body
 Material : Stainless Steel 304
 Connector Thread : ½ inch
 Dimension/Diameter : Length 500mm x Width 500mm
 Installation Type : Ceiling Mounted
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



BSH-877-600

Products Name : Big Rain Shower Head C/W Shower Arm - Square
 Functions : Distribute the water flow over the body
 Functions : Support with 4 vertical shower arm and 2 water inlets
 Material : Stainless Steel 304
 Connector Thread : ½ inch
 Dimension/Diameter : Length 600mm x Width 600mm
 Installation Type : Ceiling Mounted
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7




BSH-877-800

Products Name : Big Rain Shower Head C/W Shower Arm - Square
 Functions : Distribute the water flow over the body
 Functions : Support with 4 vertical shower arm and 2 water inlets
 Material : Stainless Steel 304
 Connector Thread : ½ inch
 Dimension/Diameter : Length 800mm x Width 800mm
 Installation Type : Ceiling Mounted
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7

SLIM RAIN SHOWER SERIES


MIRROR POLISHED FINISHING



BSH-S-SLIM200

Water Efficiency
★★
6.8L/min


Products Name : Rain Shower Head - Square
 Functions : Distribute the water flow over the body
 Material : Stainless Steel 304
 Connector Thread : ½ inch
 Dimension/Diameter : Length 200mm x Width 200mm
 Installation Type : Wall/ Ceiling Mounted Shower Arm
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



BSH-S-SLIM250

Water Efficiency
★★
6.2L/min


Products Name : Rain Shower Head - Square
 Functions : Distribute the water flow over the body
 Material : Stainless Steel 304
 Connector Thread : ½ inch
 Dimension/Diameter : Length 250mm x Width 250mm
 Installation Type : Wall/ Ceiling Mounted Shower Arm
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



BSH-S-SLIM300

Water Efficiency
★★
6.7L/min

Products Name : Rain Shower Head - Square
 Functions : Distribute the water flow over the body
 Material : Stainless Steel 304
 Connector Thread : ½ inch
 Dimension/Diameter : Length 300mm x Width 300mm
 Installation Type : Wall/ Ceiling Mounted Shower Arm
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7




BSH-S-SLIM400

Water Efficiency
★★
6.4L/min

Products Name : Rain Shower Head - Square
 Functions : Distribute the water flow over the body
 Material : Stainless Steel 304
 Connector Thread : ½ inch
 Dimension/Diameter : Length 400mm x Width 400mm
 Installation Type : Wall/ Ceiling Mounted Shower Arm
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7

SLIM RAIN SHOWER SERIES


MIRROR POLISHED FINISHING



BSH-R-SLIM200

Water Efficiency
★★
6.8L/min


Products Name : Rain Shower Head - Round
 Functions : Distribute the water flow over the body
 Material : Stainless Steel 304
 Connector Thread : ½ inch
 Dimension/Diameter : ø8" inch
 Installation Type : Wall/ Ceiling Mounted Shower Arm
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



BSH-R-SLIM250

Water Efficiency
★★
7.4L/min


Products Name : Rain Shower Head - Round
 Functions : Distribute the water flow over the body
 Material : Stainless Steel 304
 Connector Thread : ½ inch
 Dimension/Diameter : ø10" inch
 Installation Type : Wall/ Ceiling Mounted Shower Arm
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



BSH-R-SLIM300

Water Efficiency
★★
7.2L/min

Products Name : Rain Shower Head - Round
 Functions : Distribute the water flow over the body
 Material : Stainless Steel 304
 Connector Thread : ½ inch
 Dimension/Diameter : ø12" inch
 Installation Type : Wall/ Ceiling Mounted Shower Arm
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7




BSH-R-SLIM400

Water Efficiency
★★
7.3L/min

Products Name : Rain Shower Head - Round
 Functions : Distribute the water flow over the body
 Material : Stainless Steel 304
 Connector Thread : ½ inch
 Dimension/Diameter : ø16" inch
 Installation Type : Wall/ Ceiling Mounted Shower Arm
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7

BRASS SHOWER HEAD SERIES


POLISHED CHROME FINISHING



BR-A-1426-200

Water Efficiency
★★
6.5L/min


Products Name : Rain Shower Head - Round
 Functions : Distribute the water flow over the body
 Material : Brass
 Connector Thread : 1/2 inch
 Dimension/Diameter : ø8" inch
 Installation Type : Wall/ Ceiling Mounted Shower Arm
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



BR-A-1409-200


Water Efficiency
★★
6.1L/min

Products Name : Rain Shower Head - Round
 Functions : Distribute the water flow over the body
 Material : Brass
 Connector Thread : 1/2 inch
 Dimension/Diameter : ø8" inch
 Installation Type : Wall/ Ceiling Mounted Shower Arm
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



BR-A-A22-200

Products Name : Rain Shower Head - Round
 Functions : Distribute the water flow over the body
 Material : Brass
 Connector Thread : 1/2 inch
 Dimension/Diameter : ø8" inch
 Installation Type : Wall/ Ceiling Mounted Shower Arm
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7




BR-A-1444-200

Water Efficiency
★★
6.2L/min

Products Name : Rain Shower Head - Square
 Functions : Distribute the water flow over the body
 Material : Brass
 Connector Thread : 1/2 inch
 Dimension/Diameter : Length 200mm x Width 200mm
 Installation Type : Wall/ Ceiling Mounted Shower Arm
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7

ABS SHOWER HEAD SERIES

POLISHED CHROME FINISHING



AR-5025A

Water Efficiency
★★
6.9L/min

Products Name : Rain Shower Head - Square
 Functions : Distribute the water flow over the body
 Material : ABS
 Connector Thread : 1/2 inch
 Dimension/Diameter : Length 225mm x Width 225mm
 Installation Type : Wall/ Ceiling Mounted Shower Arm
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



AR-SQ2208-200


Water Efficiency
★★
6.3L/min

Products Name : Rain Shower Head - Square
 Functions : Distribute the water flow over the body
 Material : ABS
 Connector Thread : 1/2 inch
 Dimension/Diameter : Length 200mm x Width 200mm
 Installation Type : Wall/ Ceiling Mounted Shower Arm
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



AR-SQ2208-250

Products Name : Rain Shower Head - Square
 Functions : Distribute the water flow over the body
 Material : ABS
 Connector Thread : 1/2 inch
 Dimension/Diameter : Length 250mm x Width 250mm
 Installation Type : Wall/ Ceiling Mounted Shower Arm
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7




AR-SQ2208-300

Water Efficiency
★★
6.3L/min

Products Name : Rain Shower Head - Square
 Functions : Distribute the water flow over the body
 Material : ABS
 Connector Thread : 1/2 inch
 Dimension/Diameter : Length 300mm x Width 300mm
 Installation Type : Wall/ Ceiling Mounted Shower Arm
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7


ABS SHOWER HEAD SERIES

POLISHED CHROME FINISHING



AR-3188


Products Name : Rain Shower Head - Square
 Functions : Distribute the water flow over the body
 Material : ABS
 Connector Thread : 1/2 inch
 Dimension/Diameter : Length 200mm x Width 200mm
 Installation Type : Wall/ Ceiling Mounted Shower Arm
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



AR-2188

Water Efficiency
★★
7.0L/min


Products Name : Rain Shower Head - Oval
 Functions : Distribute the water flow over the body
 Material : ABS
 Connector Thread : 1/2 inch
 Dimension/Diameter : Length 230mm x Width 180mm
 Installation Type : Wall/ Ceiling Mounted Shower Arm
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



AR-SQ2208-200-BL

Water Efficiency
★★
6.3L/min

Products Name : Rain Shower Head - Square
 Functions : Distribute the water flow over the body
 Finishing : Black Coating
 Material : ABS
 Connector Thread : 1/2 inch
 Dimension/Diameter : Length 200mm x Width 200mm
 Installation Type : Wall/ Ceiling Mounted Shower Arm
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7




AR-SD1025-200-BL

Products Name : Rain Shower Head - Round
 Functions : Distribute the water flow over the body
 Finishing : Black Coating
 Material : ABS
 Connector Thread : 1/2 inch
 Dimension/Diameter : ø8" inch
 Installation Type : Wall/ Ceiling Mounted Shower Arm
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7


ABS SHOWER HEAD SERIES

POLISHED CHROME FINISHING



AR-SD1025-150


Products Name : Rain Shower Head - Round
 Functions : Distribute the water flow over the body
 Material : ABS
 Connector Thread : ½ inch
 Dimension/Diameter : ø6" inch
 Installation Type : Wall/ Ceiling Mounted Shower Arm
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



AR-SD1025-200

Water Efficiency
 ★★
 6.3L/min


Products Name : Rain Shower Head - Round
 Functions : Distribute the water flow over the body
 Material : ABS
 Connector Thread : ½ inch
 Dimension/Diameter : ø8" inch
 Installation Type : Wall/ Ceiling Mounted Shower Arm
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



AR-SD1025-250

Water Efficiency
 ★★
 6.4L/min


Products Name : Rain Shower Head - Round
 Functions : Distribute the water flow over the body
 Material : ABS
 Connector Thread : ½ inch
 Dimension/Diameter : ø10" inch
 Installation Type : Wall/ Ceiling Mounted Shower Arm
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



AR-SD1025-300

Products Name : Rain Shower Head - Round
 Functions : Distribute the water flow over the body
 Material : ABS
 Connector Thread : ½ inch
 Dimension/Diameter : ø12" inch
 Installation Type : Wall/ Ceiling Mounted Shower Arm
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7

ABS SHOWER HEAD SERIES




NEW PRODUCT

AR-3322-BL / AR-3322

Water Efficiency
★★
6.7L/min

Products Name : Rain Shower Head - Rectangle
 Functions : Distribute the water flow over the body
 Material : ABS
 Connector Thread : 1/2 inch
 Dimension/Diameter : 330mm x 220mm
 Installation Type : Wall/ Ceiling Mounted Shower Arm
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7




NEW PRODUCT

AR-2502-BL / AR-2502

Water Efficiency
★★
6.7L/min

Products Name : Rain Shower Head - Round
 Functions : Distribute the water flow over the body
 Material : ABS
 Connector Thread : 1/2 inch
 Dimension/Diameter : ø10" inch
 Installation Type : Wall/ Ceiling Mounted Shower Arm
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



NEW PRODUCT

AR-2501-BL / AR-2501

Water Efficiency
★★
6.4L/min

Products Name : Rain Shower Head - Round
 Functions : Distribute the water flow over the body
 Material : ABS
 Connector Thread : 1/2 inch
 Dimension/Diameter : ø10" inch
 Installation Type : Wall/ Ceiling Mounted Shower Arm
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7

SHOWER ARM SERIES

POLISHED CHROME FINISHING



SA-9A

Products Name : Shower Arm - Round
 Functions : Allow water flow through the shower head
 Material : Stainless Steel
 Installation Type : Wall Mounted
 Application Place : Bathroom, Outdoor and etc
 Inlet Connector Thread : 1/2 inch
 Outlet Connector Thread : 1/2 inch




SA-9B

Products Name : Shower Arm - Round
 Functions : Allow water flow through the shower head
 Material : Brass
 Installation Type : Wall Mounted
 Application Place : Bathroom, Outdoor and etc
 Inlet Connector Thread : 1/2 inch
 Outlet Connector Thread : 1/2 inch



SA-9ABS

Products Name : Shower Arm - Round
 Functions : Allow water flow through the shower head
 Material : ABS
 Installation Type : Wall Mounted
 Application Place : Bathroom, Outdoor and etc
 Inlet Connector Thread : 1/2 inch
 Outlet Connector Thread : 1/2 inch




SA-9Q-400 | SA-9Q-450

Products Name : Horizontal Shower Arm - Square
 Functions : Allow water flow through the shower head
 Material : Stainless Steel 304
 Installation Type : Wall Mounted
 Application Place : Bathroom, Outdoor and etc
 Inlet Connector Thread : 1/2 inch
 Outlet Connector Thread : 1/2 inch



SA-SS

Products Name : Elongated Shower Arm - L Shape
 Functions : Allow water flow through the shower head
 Material : Stainless Steel 304
 Installation Type : Wall Mounted
 Application Place : Bathroom, Outdoor and etc
 Inlet Connector Thread : 1/2 inch
 Outlet Connector Thread : 1/2 inch



SA-ES

Products Name : Elongated Shower Arm - S Shape
 Functions : Allow water flow through the shower head
 Material : Stainless Steel 304
 Installation Type : Wall Mounted
 Application Place : Bathroom, Outdoor and etc
 Inlet Connector Thread : 1/2 inch
 Outlet Connector Thread : 1/2 inch

SHOWER ARM SERIES

POLISHED CHROME FINISHING



SA-9E-325

Products Name : Horizontal Shower Arm - Round
 Functions : Allow water flow through the shower head
 Material : Stainless Steel 304
 Installation Type : Wall Mounted
 Application Place : Bathroom, Outdoor and etc
 Inlet Connector Thread : ½ inch
 Outlet Connector Thread : ½ inch



SA-9E-400

Products Name : Horizontal Shower Arm - Round
 Functions : Allow water flow through the shower head
 Material : Stainless Steel 304
 Installation Type : Wall Mounted
 Application Place : Bathroom, Outdoor and etc
 Inlet Connector Thread : ½ inch
 Outlet Connector Thread : ½ inch



SA-9E-400BL

Products Name : Horizontal Shower Arm - Round
 Functions : Allow water flow through the shower head
 Finishing : Black Coating
 Material : Stainless Steel 304
 Installation Type : Wall Mounted
 Application Place : Bathroom, Outdoor and etc
 Inlet Connector Thread : ½ inch
 Outlet Connector Thread : ½ inch



SA-9E-450

Products Name : Horizontal Shower Arm - Round
 Functions : Allow water flow through the shower head
 Material : Stainless Steel 304
 Installation Type : Wall Mounted
 Application Place : Bathroom, Outdoor and etc
 Inlet Connector Thread : ½ inch
 Outlet Connector Thread : ½ inch



SA-9E-500

Products Name : Horizontal Shower Arm - Round
 Functions : Allow water flow through the shower head
 Material : Stainless Steel 304
 Installation Type : Wall Mounted
 Application Place : Bathroom, Outdoor and etc
 Inlet Connector Thread : ½ inch
 Outlet Connector Thread : ½ inch

SHOWER ARM SERIES


POLISHED CHROME FINISHING

Ceiling Mounted Shower Arm




SA-VS200

Products Name : Vertical Shower Arm - Square
 Functions : Allow water flow through the shower head
 Material : Stainless Steel 304
 Installation Type : Ceiling Mounted
 Application Place : Bathroom, Outdoor and etc
 Inlet Connector Thread : ½ inch
 Outlet Connector Thread : ½ inch




SA-VS300

Products Name : Vertical Shower Arm - Square
 Functions : Allow water flow through the shower head
 Material : Stainless Steel 304
 Installation Type : Ceiling Mounted
 Application Place : Bathroom, Outdoor and etc
 Inlet Connector Thread : ½ inch
 Outlet Connector Thread : ½ inch



SA-VS450

Products Name : Vertical Shower Arm - Square
 Functions : Allow water flow through the shower head
 Material : Stainless Steel 304
 Installation Type : Ceiling Mounted
 Application Place : Bathroom, Outdoor and etc
 Inlet Connector Thread : ½ inch
 Outlet Connector Thread : ½ inch




SA-V200

Products Name : Vertical Shower Arm - Round
 Functions : Allow water flow through the shower head
 Material : Stainless Steel 304
 Installation Type : Ceiling Mounted
 Application Place : Bathroom, Outdoor and etc
 Inlet Connector Thread : ½ inch
 Outlet Connector Thread : ½ inch



SA-V300

Products Name : Vertical Shower Arm - Round
 Functions : Allow water flow through the shower head
 Material : Stainless Steel 304
 Installation Type : Ceiling Mounted
 Application Place : Bathroom, Outdoor and etc
 Inlet Connector Thread : ½ inch
 Outlet Connector Thread : ½ inch




SA-V450

Products Name : Vertical Shower Arm - Round
 Functions : Allow water flow through the shower head
 Material : Stainless Steel 304
 Installation Type : Ceiling Mounted
 Application Place : Bathroom, Outdoor and etc
 Inlet Connector Thread : ½ inch
 Outlet Connector Thread : ½ inch


FIXED SHOWER HEAD SERIES

POLISHED CHROME FINISHING



FH-9H3405


Products Name : Shower Head C/W Shower Arm - 5 Functions
 Functions : Distribute the water flow over the body
 Material : ABS
 Connector Thread : ½ inch
 Installation Type : Wall Mounted
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



FH-6009

Water Efficiency
 ★★
 6.4L/min

Products Name : Shower Head - 5 Functions
 Functions : Distribute the water flow over the body
 Material : ABS head and ABS Socket/Nut
 Connector Thread : ½ inch
 Installation Type : Wall Mounted Shower Arm
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7




FH-6001

Products Name : Shower Head - 2 Functions
 Functions : Distribute the water flow over the body
 Material : ABS head and Brass Socket/Nut
 Connector Thread : ½ inch
 Installation Type : Wall Mounted Shower Arm
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7


FIXED SHOWER HEAD SERIES

POLISHED CHROME FINISHING




NEW PRODUCT **FH-2103**

Products Name : Shower Head - 3 Functions
 Functions : Distribute the water flow over the body
 Material : ABS head and ABS Socket/Nut
 Connector Thread : ½ inch
 Installation Type : Wall Mounted Shower Arm
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



FH-S5011

Products Name : Shower Head - 5 Functions
 Functions : Distribute the water flow over the body
 Material : ABS head and Brass Socket/Nut
 Connector Thread : ½ inch
 Installation Type : Wall Mounted Shower Arm
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



NEW PRODUCT **FH-6006A**

Products Name : Shower Head - Three Functions
 Functions : Distribute the water flow over the body
 Material : ABS head and Brass Socket/Nut
 Connector Thread : ½ inch
 Installation Type : Wall Mounted Shower Arm
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7




FH-6003

Products Name : Shower Head - Single Function
 Functions : Distribute the water flow over the body
 Material : ABS head and ABS Socket/Nut
 Connector Thread : ½ inch
 Installation Type : Wall Mounted Shower Arm
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7

FIXED SHOWER HEAD SERIES

POLISHED CHROME FINISHING



NEW
PRODUCT

FH-6008A

Water Efficiency
★★★
5.5L/min


Products Name : Shower Head - Single Functions
 Functions : Distribute the water flow over the body
 Material : ABS head and Brass Socket/Nut
 Connector Thread : ½ inch
 Installation Type : Wall Mounted Shower Arm
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



NEW
PRODUCT

FH-6010A


Products Name : Shower Head - Single Function
 Functions : Distribute the water flow over the body
 Material : ABS head and Brass Socket/Nut
 Connector Thread : ½ inch
 Installation Type : Wall Mounted Shower Arm
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



NEW
PRODUCT

FH-2111

Products Name : Shower Head - Single Function
 Functions : Distribute the water flow over the body
 Material : ABS head and Brass Socket/Nut
 Connector Thread : ½ inch
 Installation Type : Wall Mounted Shower Arm
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7




FH-S5002

Products Name : Shower Head - Single Functions
 Functions : Distribute the water flow over the body
 Material : ABS head and Brass Socket/Nut
 Connector Thread : ½ inch
 Installation Type : Wall Mounted Shower Arm
 Application Place : Bathroom, Outdoor and Etc
 Water Saving Function : Available / Optional
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7

SHOWER RAIL SERIES


POLISHED CHROME FINISHING



SR01

Products Name : Shower Rail Set
 Material : Brass (Bracket, Holder) , ABS (Hand Shower)
 Material : Stainless Steel (Rail, Flexible Hose)
 Functions : Multi-Functions for Hand Shower
 Installation Type : Wall Mounted
 Application Place : Bathroom and etc
 Water Saving Function : Available / Optional
 Water Connector Thread : 1/2 inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 6


Shower Rail Set comes with Two Brackets, One Rail, One Hand Shower, One Shower Holder, 1.5m Heavy Duty Double Interlock Stainless Steel Shower Hose



SR03

Products Name : Shower Rail Set
 Material : ABS (Bracket, Holder, Soap Dish, Hand Shower)
 Material : Stainless Steel (Rail, Flexible Hose)
 Functions : Multi-Functions for Hand Shower
 Installation Type : Wall Mounted
 Application Place : Bathroom and etc
 Water Saving Function : Available / Optional
 Water Connector Thread : 1/2 inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 6


Shower Rail Set comes with Two Brackets, One Rail, One Hand Shower, One Soap Dish, One Shower Holder, 1.5m Heavy Duty Double Interlock Stainless Steel Shower Hose



SR04

Products Name : Shower Rail Set
 Material : Brass (Bracket, Hand Shower, Rail, Holder)
 Material : Stainless Steel (Flexible Hose)
 Functions : Single-Function for Hand Shower
 Installation Type : Wall Mounted
 Application Place : Bathroom and etc
 Water Saving Function : Available / Optional
 Water Connector Thread : 1/2 inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 6

Shower Rail Set comes with Two Brackets, One Rail, One Hand Shower, One Shower Holder, 1.5m Heavy Duty Double Interlock Stainless Steel Shower Hose



SR05

Products Name : Shower Rail Set
 Material : ABS (Bracket, Hand Shower, Holder)
 Material : Stainless Steel (Rail, Flexible Hose)
 Functions : Single-Function for Hand Shower
 Installation Type : Wall Mounted
 Application Place : Bathroom and etc
 Water Saving Function : Available / Optional
 Water Connector Thread : 1/2 inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 6

Shower Rail Set comes with Two Brackets, One Rail, One Hand Shower, One Shower Holder, 1.5m Heavy Duty Double Interlock Stainless Steel Shower Hose

SHOWER RAIL SERIES


POLISHED CHROME FINISHING



SR06

Products Name : Shower Rail Set
 Material : ABS (Bracket, Holder, Soap Dish, Hand Shower)
 Material : Stainless Steel (Rail, Flexible Hose)
 Functions : Multi-Functions for Hand Shower
 Installation Type : Wall Mounted
 Application Place : Bathroom and etc
 Water Saving Function : Available / Optional
 Water Connector Thread : 1/2 inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 6


Shower Rail Set comes with Two Brackets, One Rail, One Hand Shower, One Soap Dish, One Shower Holder, 1.5m Heavy Duty Double Interlock Stainless Steel Shower Hose



SR07

Products Name : Shower Rail Set
 Material : Brass (Bracket, Hand Shower, Rail, Holder)
 Material : Stainless Steel (Flexible Hose)
 Functions : Single-Function for Hand Shower
 Installation Type : Wall Mounted
 Application Place : Bathroom and etc
 Water Saving Function : Available / Optional
 Water Connector Thread : 1/2 inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 6


Shower Rail Set comes with Two Brackets, One Rail, One Hand Shower, One Shower Holder, 1.5m Heavy Duty Double Interlock Stainless Steel Shower Hose



SR08

Products Name : Shower Rail Set with Water Outlet
 Material : Brass (Bracket) , ABS (Hand Shower, Holder)
 Material : Stainless Steel (Rail, Flexible Hose)
 Functions : Multi-Functions for Hand Shower
 Installation Type : Wall Mounted
 Application Place : Bathroom and etc
 Water Saving Function : Available / Optional
 Water Connector Thread : 1/2 inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 6

Shower Rail Set comes with Two Brackets, One Rail, One Hand Shower, One Shower Holder, 1.5m Heavy Duty Double Interlock Stainless Steel Shower Hose




SR09

Products Name : Shower Rail Set with Water Outlet
 Material : Brass (Bracket) , ABS (Hand Shower, Holder)
 Material : Stainless Steel (Rail, Flexible Hose)
 Functions : Single-Function for Hand Shower
 Installation Type : Wall Mounted
 Application Place : Bathroom and etc
 Water Saving Function : Available / Optional
 Water Connector Thread : 1/2 inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 6

Shower Rail Set comes with Two Brackets, One Rail, One Hand Shower, One Shower Holder, 1.5m Heavy Duty Double Interlock Stainless Steel Shower Hose

SHOWER RAIL SERIES

POLISHED CHROME / MATT BLACK FINISHING



NEW
PRODUCT

SR10N

Water Efficiency

5.9L/min

Products Name : Shower Rail Set
 Material : ABS (Bracket, Hand Shower, Holder)
 Material : Stainless Steel (Rail, Flexible Hose)
 Functions : Multi-Function for Hand Shower
 Installation Type : Wall Mounted
 Application Place : Bathroom and etc
 Water Saving Function : Available / Optional
 Water Connector Thread : 1/2 inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 6

Shower Rail Set comes with Two Brackets, One Rail, One Hand Shower, One Shower Holder, 1.5m Heavy Duty Double Interlock Stainless Steel Shower Hose




NEW
PRODUCT

SR10N-BL

Products Name : Shower Rail Set
 Material : ABS (Bracket, Hand Shower, Holder)
 Material : Stainless Steel (Rail, Flexible Hose)
 Functions : Multi-Function for Hand Shower
 Installation Type : Wall Mounted
 Application Place : Bathroom and etc
 Water Saving Function : Available / Optional
 Water Connector Thread : 1/2 inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 6

Shower Rail Set comes with Two Brackets, One Rail, One Hand Shower, One Shower Holder, 1.5m Heavy Duty Double Interlock Stainless Steel Shower Hose



NEW
PRODUCT

SR12

Water Efficiency
**
6.4L/min

Products Name : Shower Rail Set
 Material : ABS (Bracket, Hand Shower, Holder)
 Material : Stainless Steel (Rail, Flexible Hose)
 Functions : Multi-Functions for Hand Shower
 Installation Type : Wall Mounted
 Application Place : Bathroom and etc
 Water Saving Function : Available / Optional
 Water Connector Thread : 1/2 inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 6

Shower Rail Set comes with Two Brackets, One Rail, One Hand Shower, One Shower Holder, 1.5m Heavy Duty Double Interlock Stainless Steel Shower Hose



NEW
PRODUCT

SR12-BL


Water Efficiency
**
6.4L/min

Products Name : Shower Rail Set
 Material : ABS (Bracket, Hand Shower, Holder)
 Material : Stainless Steel (Rail, Flexible Hose)
 Functions : Multi-Functions for Hand Shower
 Installation Type : Wall Mounted
 Application Place : Bathroom and etc
 Water Saving Function : Available / Optional
 Water Connector Thread : 1/2 inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 6

Shower Rail Set comes with Two Brackets, One Rail, One Hand Shower, One Shower Holder, 1.5m Heavy Duty Double Interlock Stainless Steel Shower Hose


BATH SPOUT SERIES

POLISHED CHROME FINISHING




BS-501

Products Name : Bath Spout Without Diverter
 Functions : For Outflow Water
 Material : Brass
 Aerator Type : Bubble
 Installation Type : Wall Mounted
 Application Place : Bathroom, Bathtub and Etc
 Water Saving Function : Available / Optional
 Water Connector Thread : 1/2 inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7




BS-502

Products Name : Bath Spout Without Diverter
 Functions : For Outflow Water
 Material : Brass
 Aerator Type : No
 Installation Type : Wall Mounted
 Application Place : Bathroom, Bathtub and Etc
 Water Saving Function : Available / Optional
 Water Connector Thread : 1/2 inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



BS-503

Products Name : Bath Spout Without Diverter
 Functions : For Outflow Water
 Material : Brass
 Aerator Type : No
 Installation Type : Wall Mounted
 Application Place : Bathroom, Bathtub and Etc
 Water Saving Function : Available / Optional
 Water Connector Thread : 1/2 inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7




BS-504

Products Name : Bath Spout Without Diverter
 Functions : For Outflow Water
 Material : Brass
 Aerator Type : No
 Installation Type : Wall Mounted
 Application Place : Bathroom, Bathtub and Etc
 Water Saving Function : Available / Optional
 Water Connector Thread : 1/2 inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7


BATH SPOUT SERIES

POLISHED CHROME FINISHING




BS-SP17

Products Name : Bath Spout Without Diverter
 Functions : For Outflow Water
 Material : Brass
 Aerator Type : No
 Installation Type : Wall Mounted
 Application Place : Bathroom, Bathtub and Etc
 Water Saving Function : Available / Optional
 Water Connector Thread : 1/2 inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7




BS-650

Products Name : Bath Spout - Square Shape - Short
 Functions : For Outflow Water
 Material : Brass
 Aerator Type : Bubble
 Installation Type : Wall Mounted
 Application Place : Bathroom, Bathtub and Etc
 Water Saving Function : Available / Optional
 Water Connector Thread : 1/2 inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



BS-650L

Products Name : Bath Spout - Square Shape - Long
 Functions : For Outflow Water
 Material : Brass
 Aerator Type : Bubble
 Installation Type : Wall Mounted
 Application Place : Bathroom, Bathtub and Etc
 Water Saving Function : Available / Optional
 Water Connector Thread : 1/2 inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7




BS-932

Products Name : Bath/Basin Spout
 Functions : For Outflow Water
 Material : Brass
 Aerator Type : Bubble
 Installation Type : Wall Mounted
 Application Place : Bathroom, Bathtub and Etc
 Water Saving Function : Available / Optional
 Water Connector Thread : 1/2 inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7


BATH SPOUT SERIES

POLISHED CHROME FINISHING




BS-650R

Products Name : Bath Spout - Round Shape
 Functions : For Outflow Water
 Material : Brass
 Aerator Type : Bubble
 Installation Type : Wall Mounted
 Application Place : Bathroom, Bathtub and Etc
 Water Saving Function : Available / Optional
 Water Connector Thread : ½ inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



BS-HD4232

Products Name : Bath Spout With Pull-Up Diverter
 Material : Brass
 Aerator Type : Bubble
 Functions : For Outflow Water
 Functions : Two Functions (Spout/Hose)
 Installation Type : Wall Mounted
 Application Place : Bathroom, Bathtub and Etc
 Water Saving Function : Available / Optional
 Water Connector Thread : ½ inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



BS-HD4212

Products Name : Bath Spout With Pull-Up Diverter
 Material : Brass
 Aerator Type : Bubble
 Functions : For Outflow Water
 Functions : Two Functions (Spout/Hose)
 Installation Type : Wall Mounted
 Application Place : Bathroom, Bathtub and Etc
 Water Saving Function : Available / Optional
 Water Connector Thread : ½ inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7




BS-S

Products Name : Basin Spout
 Functions : For Outflow Water
 Material : Brass
 Aerator Type : Bubble
 Installation Type : Wall Mounted
 Application Place : Basin and Etc
 Water Saving Function : Available / Optional
 Water Connector Thread : ½ inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7

BATH SPOUT SERIES

POLISHED CHROME FINISHING



BJ-B

Products Name : Body Jet - Round Shape - 2 inch size
 Functions : For Outflow Water
 Material : Brass
 Aerator Type : No
 Installation Type : Wall Mounted
 Application Place : Bathroom, Bathtub and Etc
 Water Saving Function : No
 Water Connector Thread : ½ inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



BJ-SQ

Products Name : Body Jet - Square Shape - 2 inch size
 Functions : For Outflow Water
 Material : Brass
 Aerator Type : No
 Installation Type : Wall Mounted
 Application Place : Bathroom, Bathtub and Etc
 Water Saving Function : No
 Water Connector Thread : ½ inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



BS-COBRA

Products Name : Basin Spout
 Functions : For Outflow Water
 Material : Brass
 Aerator Type : Bubble
 Installation Type : Pillar Mounted
 Application Place : Basin, Bathtub and Etc
 Water Connector Thread : ½ inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7




BS-OCEAN

Products Name : Basin Spout
 Functions : For Outflow Water
 Material : Brass
 Aerator Type : Bubble
 Installation Type : Pillar Mounted
 Application Place : Basin, Bathtub and Etc
 Water Connector Thread : ½ inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7

SHOWER POST SERIES

POLISHED CHROME FINISHING



SP-LU5041



Hand Shower

Water Efficiency
★★★
5.1L/min

Rain Shower

Water Efficiency
★★
6.1L/min

Products Name : Single Lever Bath Shower Post Set With 3 Ways Functions
 Size : Rain Shower (10"x10")
 Material : Brass (Rain Shower, Body, Spout)
 Material : Stainless Steel (Slide Bar, Flexible Hose), ABS (Hand Shower)
 Functions : Rain Shower (single), Hand Shower (single), Spout (single)
 Cartridge Type : ø35mm Ceramic Cartridge
 Installation Type : Wall Mounted
 Application Place : Bathroom
 Water Saving Function : Available / Optional
 Water Connector Thread : ½ inch
 Minimum Water Pressure (Bar) : 2
 Maximum Water Pressure (Bar) : 6

HS-A-7051A1



SP-9004



Hand Shower

Water Efficiency
★★★
5.7L/min

Products Name : Single Lever Bath Shower Post Set With 3 Ways Functions
 Size : Rain Shower (8"x8")
 Material : Brass (Rain Shower, Body, Spout)
 Material : Stainless Steel (Slide Bar, Flexible Hose), ABS (Hand Shower)
 Functions : Rain Shower (single), Hand Shower (single), Spout (single)
 Cartridge Type : ø35mm Ceramic Cartridge
 Installation Type : Wall Mounted
 Application Place : Bathroom
 Water Saving Function : Available / Optional
 Water Connector Thread : ½ inch
 Minimum Water Pressure (Bar) : 2
 Maximum Water Pressure (Bar) : 6

HS-A-1091c



SP-15BSQ



Hand Shower

Water Efficiency
★★★
5.7L/min

Products Name : Single Lever Bath Shower Post Set With 3 Ways Functions
 Size : Rain Shower (8"x8")
 Material : Brass (Rain Shower, Body, Spout)
 Material : Stainless Steel (Slide Bar, Flexible Hose), ABS (Hand Shower)
 Functions : Rain Shower (single), Hand Shower (single), Spout (single)
 Cartridge Type : ø35mm Ceramic Cartridge
 Installation Type : Wall Mounted
 Application Place : Bathroom
 Water Saving Function : Available / Optional
 Water Connector Thread : ½ inch
 Minimum Water Pressure (Bar) : 2
 Maximum Water Pressure (Bar) : 6

HS-A-1091c



SP-8009A



Hand Shower


Water Efficiency
★★★
5.7L/min

Products Name : Single Lever Bath Shower Post Set With 3 Ways Functions
 Size : Rain Shower (ø8")
 Material : Brass (Rain Shower, Body, Spout)
 Material : Stainless Steel (Slide Bar, Flexible Hose), ABS (Hand Shower)
 Functions : Rain Shower (single), Hand Shower (multi), Spout (single)
 Cartridge Type : ø35mm Ceramic Cartridge
 Installation Type : Wall Mounted
 Application Place : Bathroom
 Water Saving Function : Available / Optional
 Water Connector Thread : ½ inch
 Minimum Water Pressure (Bar) : 2
 Maximum Water Pressure (Bar) : 6

HS-A-8009WT

SHOWER POST SERIES

POLISHED CHROME FINISHING



SP-8009B

Hand Shower
 Water Efficiency
 ★★★
 5.7L/min

Products Name : Single Lever Bath Shower Post Set With 3 Ways Functions
 Size : Rain Shower (ø8")
 Material : Brass (Rain Shower, Body, Spout)
 Material : Stainless Steel (Slide Bar, Flexible Hose), ABS (Hand Shower)
 Functions : Rain Shower (single), Hand Shower (multi), Spout (single)
 Cartridge Type : ø35mm Ceramic Cartridge
 Installation Type : Wall Mounted
 Application Place : Bathroom
 Water Saving Function : Available / Optional
 Water Connector Thread : ½ inch
 Minimum Water Pressure (Bar) : 2
 Maximum Water Pressure (Bar) : 6

HS-A-8009WT



SP-OM1006

Hand Shower
 Water Efficiency
 ★★★
 5.5L/min

Rain Shower
 Water Efficiency
 ★★
 6.2L/min

Products Name : Single Lever Bath Shower Post Set With 3 Ways Functions
 Size : Rain Shower (ø8")
 Material : Brass (Rain Shower, Body, Spout)
 Material : Stainless Steel (Slide Bar, Flexible Hose), ABS (Hand Shower)
 Functions : Rain Shower (single), Hand Shower (multi), Spout (single)
 Cartridge Type : ø35mm Ceramic Cartridge
 Installation Type : Wall Mounted
 Application Place : Bathroom
 Water Saving Function : Available / Optional
 Water Connector Thread : ½ inch
 Minimum Water Pressure (Bar) : 2
 Maximum Water Pressure (Bar) : 6

HS-A-3014



SP-OM1009

Hand Shower
 Water Efficiency
 ★★
 6.1L/min

Rain Shower
 Water Efficiency
 ★★
 6.5L/min

Products Name : Single Lever Bath Shower Post Set With 2 Ways Functions
 Size : Rain Shower (ø8")
 Material : ABS (Hand Shower, Rain Shower)
 Material : Stainless Steel (Slide Bar, Flexible Hose), Brass (Body)
 Functions : Rain Shower (single), Hand Shower (single)
 Cartridge Type : ø35mm Ceramic Cartridge
 Installation Type : Wall Mounted
 Application Place : Bathroom
 Water Saving Function : Available / Optional
 Water Connector Thread : ½ inch
 Minimum Water Pressure (Bar) : 2
 Maximum Water Pressure (Bar) : 6



SP-15ASQ


Hand Shower
 Water Efficiency
 ★★★
 5.7L/min

Products Name : Single Lever Bath Shower Post Set With 2 Ways Functions
 Size : Rain Shower (8"x8")
 Material : ABS (Hand Shower, Rain Shower)
 Material : Stainless Steel (Slide Bar, Flexible Hose), Brass (Body)
 Functions : Rain Shower (single), Hand Shower (single)
 Cartridge Type : ø35mm Ceramic Cartridge
 Installation Type : Wall Mounted
 Application Place : Bathroom
 Water Saving Function : Available / Optional
 Water Connector Thread : ½ inch
 Minimum Water Pressure (Bar) : 2
 Maximum Water Pressure (Bar) : 6

HS-A-1091c

SHOWER POST SERIES

POLISHED CHROME FINISHING




SP-8009WTHS

Hand Shower
Water Efficiency
 ★★★
 5.7L/min

Products Name : Single Lever Bath Shower Post Set With 2 Ways Functions
 Size : Rain Shower (ø8")
 Material : ABS (Hand Shower, Rain Shower)
 Material : Stainless Steel (Slide Bar, Flexible Hose), Brass (Body)
 Functions : Rain Shower (single), Hand Shower (multi)
 Cartridge Type : ø35mm Ceramic Cartridge
 Installation Type : Wall Mounted
 Application Place : Bathroom (For Water Heater Only)
 Water Saving Function : Available / Optional
 Water Connector Thread : ½ inch
 Minimum Water Pressure (Bar) : 2
 Maximum Water Pressure (Bar) : 6

HS-A-8009WT



SP-8009WTSS

Hand Shower
Water Efficiency
 ★★★
 5.7L/min

Rain Shower
Water Efficiency
 ★★
 6.2L/min

Products Name : Single Lever Bath Shower Post Set With 2 Ways Functions
 Size : Rain Shower (ø8")
 Material : ABS (Hand Shower, Rain Shower)
 Material : Stainless Steel (Slide Bar, Flexible Hose), Brass (Body)
 Functions : Rain Shower (single), Hand Shower (multi)
 Cartridge Type : ø35mm Ceramic Cartridge
 Installation Type : Wall Mounted
 Application Place : Bathroom (For Water Heater Only)
 Water Saving Function : Available / Optional
 Water Connector Thread : ½ inch
 Minimum Water Pressure (Bar) : 2
 Maximum Water Pressure (Bar) : 6

HS-A-8009WT



BSP-CT

Hand Shower
Water Efficiency
 ★★★
 5.7L/min

Products Name : Single Lever Bath Shower Post Set With 2 Ways Functions
 Size : Rain Shower (ø8")
 Material : ABS (Hand Shower, Rain Shower)
 Material : Stainless Steel (Slide Bar, Flexible Hose), Brass (Body)
 Functions : Rain Shower (single), Hand Shower (multi)
 Cartridge Type : Quarter Turn Ceramic Cartridge
 Installation Type : Wall Mounted
 Application Place : Common Area Bathroom (eg. gym, sports arena), outdoor poolside
 Water Saving Function : Available / Optional
 Water Connector Thread : ½ inch
 Minimum Water Pressure (Bar) : 2
 Maximum Water Pressure (Bar) : 6

HS-A-8009WT



NEW PRODUCT

BSP-WT02

Hand Shower
Water Efficiency
 ★★★
 5.7L/min

Rain Shower
Water Efficiency
 ★★
 6.5L/min

Products Name : Bath Shower Post Set With 2 Ways Functions
 Size : Rain Shower (ø8")
 Material : Stainless Steel (Slide Bar, Flexible Hose), Brass (Body)
 Material : ABS (Hand Shower, Rain Shower, Push Button Diverter)
 Functions : Rain Shower (single), Hand Shower (multi)
 Cartridge Type : ø35mm Ceramic Cartridge
 Installation Type : Wall Mounted
 Application Place : Bathroom (For Water Heater)
 Water Saving Function : Available / Optional
 Water Connector Thread : ½ inch
 Minimum Water Pressure (Bar) : 2
 Maximum Water Pressure (Bar) : 6

HS-A-8009WT

SHOWER POST SERIES



NEW
PRODUCT

BSP-WT02-BL

Hand Shower

Water Efficiency
★★
6.1L/min

Rain Shower

Water Efficiency
★★
6.5L/min

Products Name : Bath Shower Post Set With 2 Ways Functions
 Size : Rain Shower (ø9")
 Finishing : Black Coating
 Material : ABS (Hand Shower, Rain Shower)
 Material : Stainless Steel (Slide Bar, Flexible Hose), Brass (Body)
 Material : ABS (Hand Shower, Rain Shower, Push Button Diverter)
 Functions : Rain Shower (single), Hand Shower (multi)
 Cartridge Type : ø35mm Ceramic Cartridge
 Installation Type : Wall Mounted
 Application Place : Bathroom (For Water Heater)
 Water Saving Function : Available / Optional
 Water Connector Thread : ½ inch
 Minimum Water Pressure (Bar) : 2
 Maximum Water Pressure (Bar) : 6

HS-A-3013-BL



HRSR1

HRSR2


Products Name : Shower Diverter For Water Heater
 Finishing : Polished Chrome
 Material : Diverter (Brass), Shower Arm (Stainless Steel)
 Cartridge Type : Quarter Turn Ceramic Cartridge
 Installation Type : Wall Mounted & Water Heater
 Application Place : Bathroom
 Water Saving Function : Available / Optional
 Water Connector Thread : ½ inch (to water heater)
 Minimum Water Pressure (Bar) : 2
 Maximum Water Pressure (Bar) : 6

POOL-SIDE FREE STANDING SHOWER POST SERIES

POOLSP-BL



Brand Name : Formidra (Cobra)
 Available colour : Green, Pink, Purple, Blue, Anthracite
 Net Weight : 8kgs
 Capacity : 32 Liters
 Height : 217cm
 Finishing : Polished Chromed (Shower Head, Handle, Bibtap)
 Material : HD Polyethylene (Body), Brass (Shower Head & Bibtap)
 Cartridge Type : Ceramic Cartridge
 Fixing Kit : Adjustable Shower Head, Handle, Foot Rinse, Mounting Kit, Bleed Screw and Pressure Relief Valve
 Installation Instruction : This Solar Showers are meant for outdoors use. We recommend to install your solar shower where the sun is the most exposed and if possible install it nearby the water supply and drainage
 Application Place : Outdoor Only
 Water Connector Thread : 1/2 inch
 Minimum Water Pressure (Bar) : 1.5
 Maximum Water Pressure (Bar) : 6



SCALLOP SERIES



WM4HSM-C



Products Name : 4 Holes Shower Mixer with Hand Shower
 Functions : Hot and Cold
 Finishing : Chrome
 Aerator Type : Bubble
 Cartridge Type : Brass Cartridge
 Installation Type : Wall Mounted
 Application Place : Bathroom, Outdoor, Shower area
 Water Saving Function : Available / Optional
 Water Connector Thread : ½ inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7




WM4HBTM-C



Products Name : 4 Holes Bathtub Mixer with Hand Shower and Bath Spout
 Functions : Hot and Cold
 Finishing : Chrome
 Aerator Type : Bubble
 Cartridge Type : Brass Cartridge
 Installation Type : Wall Mounted
 Application Place : Bathtub / Shower Area
 Water Saving Function : Available / Optional
 Water Connector Thread : ½ inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7

2 HANDLES SERIES


POLISHED CHROME FINISHING



LU502111



Products Name : 5 Holes Bathtub Mixer with Hand Shower
 Functions : Hot and Cold
 Finishing : Polished Chromed
 Aerator Type : Bubble
 Cartridge Type : Brass Cartridge
 Installation Type : Pillar Mounted
 Application Place : Bathtub
 Water Saving Function : Available / Optional
 Water Connector Thread : ½ inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



28175M5



Products Name : 5 Holes Bathtub Mixer with Hand Shower
 Functions : Hot and Cold
 Finishing : Polished Chromed
 Aerator Type : Bubble
 Cartridge Type : Brass Cartridge
 Installation Type : Pillar Mounted
 Application Place : Bathtub
 Water Saving Function : Available / Optional
 Water Connector Thread : ½ inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



4HBTM-FM-C



Products Name : 4 Holes Bathtub Mixer with Hand Shower
 Functions : Hot and Cold
 Finishing : Polished Chromed
 Aerator Type : Bubble
 Cartridge Type : Brass Cartridge
 Installation Type : Pillar Mounted
 Application Place : Bathtub
 Water Saving Function : Available / Optional
 Water Connector Thread : ½ inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



4HBTM-FM-BL



Products Name : 4 Holes Bathtub Mixer with Hand Shower
 Functions : Hot and Cold
 Finishing : Black Coating
 Aerator Type : Bubble
 Cartridge Type : Brass Cartridge
 Installation Type : Pillar Mounted
 Application Place : Bathtub
 Water Saving Function : Available / Optional
 Water Connector Thread : ½ inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7

2 HANDLES SERIES



18125W4



Products Name : 3 Holes Basin Tap Mixer
 Functions : Hot and Cold
 Finishing : Polished Chromed
 Aerator Type : Bubble
 Cartridge Type : Brass Cartridge
 Installation Type : Pillar Mounted
 Application Place : Bathroom Basin
 Water Saving Function : Available / Optional
 Water Connector Thread : 1/2 inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



3HBM-KH-BL



Products Name : 3 Holes Basin Tap Mixer
 Functions : Hot and Cold
 Finishing : Black Coating
 Aerator Type : Bubble
 Cartridge Type : Brass Cartridge
 Installation Type : Pillar Mounted
 Application Place : Bathroom Basin
 Water Saving Function : Available / Optional
 Water Connector Thread : 1/2 inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



3HBM-KH-G



Products Name : 3 Holes Basin Tap Mixer
 Functions : Hot and Cold
 Finishing : Gold Chromed
 Aerator Type : Bubble
 Cartridge Type : Brass Cartridge
 Installation Type : Pillar Mounted
 Application Place : Bathroom Basin
 Water Saving Function : Available / Optional
 Water Connector Thread : 1/2 inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



3HBM-KH-C



Products Name : 3 Holes Basin Tap Mixer
 Functions : Hot and Cold
 Finishing : Polished Chromed
 Aerator Type : Bubble
 Cartridge Type : Brass Cartridge
 Installation Type : Pillar Mounted
 Application Place : Bathroom Basin
 Water Saving Function : Available / Optional
 Water Connector Thread : 1/2 inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7

2 HANDLES SERIES



3HBM2-KH-G



Products Name : 3 Holes Basin Tap Mixer With Pull Up Rod
 Functions : Hot and Cold
 Finishing : Gold Chromed
 Aerator Type : Bubble
 Cartridge Type : Brass Cartridge
 Installation Type : Pillar Mounted
 Application Place : Bathroom Basin
 Water Saving Function : Available / Optional
 Water Connector Thread : ½ inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



3HBM2-KH-C



Products Name : 3 Holes Basin Tap Mixer With Pull Up Rod
 Functions : Hot and Cold
 Finishing : Polished Chromed
 Aerator Type : Bubble
 Cartridge Type : Brass Cartridge
 Installation Type : Pillar Mounted
 Application Place : Bathroom Basin
 Water Saving Function : Available / Optional
 Water Connector Thread : ½ inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



3HBM2-KH-BL



Products Name : 3 Holes Basin Tap Mixer With Pull Up Rod
 Functions : Hot and Cold
 Finishing : Black Coating
 Aerator Type : Bubble
 Cartridge Type : Brass Cartridge
 Installation Type : Pillar Mounted
 Application Place : Bathroom Basin
 Water Saving Function : Available / Optional
 Water Connector Thread : ½ inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7

FLOOR STANDING SERIES

POLISHED CHROME FINISHING



JE077




Product Name : Floor Standing Bath Tub Filler c/w 1.5m Flexi-Hose, Spout & Hand Shower
 Material : Brass (Body, Spout, Holder, Hand Shower) S/S (Flexi-Hose)
 Functions : To choose the exact location of your bath
 Functions : Hand Shower / Spout
 Aerator Type : Bubble
 Cartridge Type : \varnothing 35mm Ceramic Cartridge
 Installation Type : Pillar Mounted
 Application Place : Bathroom Bathtub
 Water Saving Function : Available / Optional
 Water Connector Thread : 1/2 inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



JE077-BL



Product Name : Floor Standing Bath Tub Filler c/w 1.5m Flexi-Hose, Spout & Hand Shower
 Material : Brass (Body, Spout, Holder, Hand Shower) S/S (Flexi-Hose)
 Functions : To choose the exact location of your bath
 Functions : Hand Shower / Spout
 Finishing : Black Coating
 Aerator Type : Bubble
 Cartridge Type : \varnothing 35mm Ceramic Cartridge
 Installation Type : Pillar Mounted
 Application Place : Bathroom Bathtub
 Water Saving Function : Available / Optional
 Water Connector Thread : 1/2 inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



JE065



Product Name : Floor Standing Bath Tub Filler c/w 1.5m Flexi-Hose, Spout & Hand Shower
 Material : Brass (Body, Spout, Holder, Hand Shower) S/S (Flexi-Hose)
 Functions : To choose the exact location of your bath
 Functions : Hand Shower / Spout
 Aerator Type : Bubble
 Cartridge Type : \varnothing 35mm Ceramic Cartridge
 Installation Type : Pillar Mounted
 Application Place : Bathroom Bathtub
 Water Saving Function : Available / Optional
 Water Connector Thread : 1/2 inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



JE078



Product Name : Floor Standing Bath Tub Filler c/w 1.5m Flexi-Hose, Spout & Hand Shower
 Material : Brass (Body, Spout, Holder, Hand Shower) S/S (Flexi-Hose)
 Functions : To choose the exact location of your bath
 Functions : Hand Shower / Spout
 Aerator Type : Bubble
 Cartridge Type : \varnothing 35mm Ceramic Cartridge
 Installation Type : Pillar Mounted
 Application Place : Bathroom Bathtub
 Water Saving Function : Available / Optional
 Water Connector Thread : 1/2 inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7

FLOOR STANDING SERIES


POLISHED CHROME FINISHING



JE088




Product Name : Floor Standing Bath Tub Filler c/w 1.5m Flexi-Hose, Spout & Hand Shower
 Material : Brass (Body, Spout, Holder, Hand Shower) S/S (Flexi-Hose)
 Functions : To choose the exact location of your bath
 Functions : Hand Shower / Spout
 Aerator Type : Bubble
 Cartridge Type : \varnothing 35mm Ceramic Cartridge
 Installation Type : Pillar Mounted
 Application Place : Bathroom Bathtub
 Water Saving Function : Available / Optional
 Water Connector Thread : $\frac{1}{2}$ inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7



JE088-BL



Product Name : Floor Standing Bath Tub Filler c/w 1.5m Flexi-Hose, Spout & Hand Shower
 Material : Brass (Body, Spout, Holder, Hand Shower) S/S (Flexi-Hose)
 Functions : To choose the exact location of your bath
 Functions : Hand Shower / Spout
 Aerator Type : Bubble
 Cartridge Type : \varnothing 35mm Ceramic Cartridge
 Installation Type : Pillar Mounted
 Application Place : Bathroom Bathtub
 Water Saving Function : Available / Optional
 Water Connector Thread : $\frac{1}{2}$ inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7




FM0052



Product Name : Floor Standing Shower Mixer with 8" Brass Shower Head
 Functions : To choose the exact location of your bath
 Material : Brass
 Cartridge Type : \varnothing 35mm Ceramic Cartridge
 Installation Type : Pillar Mounted
 Application Place : Bathroom Bathtub, Outdoor
 Water Saving Function : Available / Optional
 Water Connector Thread : $\frac{1}{2}$ inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7

HAND BIDET SERIES

POLISHED CHROME FINISHING




HB-8311

Water Efficiency
★★
5.1L/min

Products Name : Hand Bidet Spray Set c/w 1.2m Flexi-Hose & Holder
 Function : To clean your genitals and anus after using the toilet
 Function : To clean the floor, water flower and grass
 Material : Bidet & Holder (ABS), Flexi-Hose (S/S)
 Aerator Type : Spray
 Mechanism : ABS
 Installation Type : At The Flexi-Hose
 Application Place : Bathroom, Garden, Outdoor and Etc
 Water Saving Function : Available / Optional
 Water Connector Thread : 1/2 inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7

■ B8311 ■ FG-1.2M ■ 09S



HB-8001

Water Efficiency
★★
4.9L/min

Products Name : Hand Bidet Spray Set c/w 1.2m Flexi-Hose & Holder
 Function : To clean your genitals and anus after using the toilet
 Function : To clean the floor, water flower and grass
 Material : Bidet & Holder (ABS), Flexi-Hose (S/S)
 Aerator Type : Spray
 Mechanism : ABS
 Installation Type : At The Flexi-Hose
 Application Place : Bathroom, Garden, Outdoor and Etc
 Water Saving Function : Available / Optional
 Water Connector Thread : 1/2 inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7

■ B8001 ■ FG-1.2M ■ 09C



HB-8333

Water Efficiency
★★
4.7L/min

Products Name : Hand Bidet Spray Set c/w 1.2m Flexi-Hose & Holder
 Function : To clean your genitals and anus after using the toilet
 Function : To clean the floor, water flower and grass
 Material : Bidet & Holder (ABS), Flexi-Hose (S/S)
 Aerator Type : Spray
 Mechanism : ABS
 Installation Type : At The Flexi-Hose
 Application Place : Bathroom, Garden, Outdoor and Etc
 Water Saving Function : Available / Optional
 Water Connector Thread : 1/2 inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7

■ B8333 ■ FG-1.2M ■ 09S




HB-8014

Products Name : Hand Bidet Spray Set c/w 1.2m Flexi-Hose & Holder
 Function : To clean your genitals and anus after using the toilet
 Function : To clean the floor, water flower and grass
 Material : Bidet & Holder (ABS), Flexi-Hose (S/S)
 Aerator Type : Spray
 Mechanism : ABS
 Installation Type : At The Flexi-Hose
 Application Place : Bathroom, Garden, Outdoor and Etc
 Water Saving Function : Available / Optional
 Water Connector Thread : 1/2 inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7

■ B8014 ■ FG-1.2M ■ 09C

HAND BIDET SERIES

POLISHED CHROME FINISHING



HB-JW220A

Water Efficiency
★★
4.9L/min

Products Name : Hand Bidet Spray Set c/w 1.2m Flexi-Hose & Holder
Function : To clean your genitals and anus after using the toilet
Function : To clean the floor, water flower and grass
Material : Bidet & Holder (ABS), Flexi-Hose (S/S)
Aerator Type : Spray
Mechanism : ABS
Installation Type : At The Flexi-Hose
Application Place : Bathroom, Garden, Outdoor and Etc
Water Saving Function : Available / Optional
Water Connector Thread : ½ inch
Minimum Water Pressure (Bar) : 1
Maximum Water Pressure (Bar) : 7

■ BJW220A ■ FG-1.2M ■ 09C




HB-8302C

Water Efficiency
★★
4.9L/min

Products Name : Hand Bidet Spray Set c/w 1.2m Flexi-Hose & Holder
Function : To clean your genitals and anus after using the toilet
Function : To clean the floor, water flower and grass
Material : Bidet & Holder (ABS), Flexi-Hose (S/S)
Aerator Type : Spray
Mechanism : ABS
Installation Type : At The Flexi-Hose
Application Place : Bathroom, Garden, Outdoor and Etc
Water Saving Function : Available / Optional
Water Connector Thread : ½ inch
Minimum Water Pressure (Bar) : 1
Maximum Water Pressure (Bar) : 7

■ B8302C ■ FG-1.2M ■ 09C



HB-8012

Water Efficiency
★★
4.8L/min

Products Name : Hand Bidet Spray Set c/w 1.2m Flexi-Hose & Holder
Function : To clean your genitals and anus after using the toilet
Function : To clean the floor, water flower and grass
Material : Bidet & Holder (ABS), Flexi-Hose (S/S)
Aerator Type : Spray
Mechanism : ABS
Installation Type : At The Flexi-Hose
Application Place : Bathroom, Garden, Outdoor and Etc
Water Saving Function : Available / Optional
Water Connector Thread : ½ inch
Minimum Water Pressure (Bar) : 1
Maximum Water Pressure (Bar) : 7

■ B8012 ■ FG-1.2M ■ 09C



HB-8013

Water Efficiency
★★
5.1L/min

Products Name : Hand Bidet Spray Set c/w 1.2m Flexi-Hose & Holder
Function : To clean your genitals and anus after using the toilet
Function : To clean the floor, water flower and grass
Material : Bidet & Holder (ABS), Flexi-Hose (S/S)
Aerator Type : Spray
Mechanism : ABS
Installation Type : At The Flexi-Hose
Application Place : Bathroom, Garden, Outdoor and Etc
Water Saving Function : Available / Optional
Water Connector Thread : ½ inch
Minimum Water Pressure (Bar) : 1
Maximum Water Pressure (Bar) : 7

■ B8013 ■ FG-1.2M ■ 09C

HAND BIDET SERIES

POLISHED CHROME FINISHING



HB-8011

Water Efficiency
★★★
4.9L/min

Products Name : Hand Bidet Spray Set c/w 1.2m Flexi-Hose & Holder
 Function : To clean your genitals and anus after using the toilet
 Function : To clean the floor, water flower and grass
 Material : Bidet & Holder (ABS), Flexi-Hose (S/S)
 Aerator Type : Spray
 Mechanism : ABS
 Installation Type : At The Flexi-Hose
 Application Place : Bathroom, Garden, Outdoor and Etc
 Water Saving Function : Available / Optional
 Water Connector Thread : 1/2 inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7

■ B8011

■ FG-1.2M

■ 09C



NEW PRODUCT

65AA

Products Name : Bidet Spray Set c/w Angle Valve & 1.2m Elastic Hose
 Function : To clean your genitals and anus after using the toilet
 Function : To clean the floor, water flower and grass
 Material : Bidet & Holder (ABS), Flexi-Hose (S/S)
 Aerator Type : Spray
 Mechanism : ABS
 Installation Type : At The Flexi-Hose
 Application Place : Bathroom, Garden, Outdoor and Etc
 Water Saving Function : Available / Optional
 Water Connector Thread : 1/2 inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7

BRASS HAND BIDET



HB-JW101

Water Efficiency
★★★
5.5L/min

Products Name : Hand Bidet Spray Set c/w 1.2m Flexi-Hose & Holder
 Function : To clean your genitals and anus after using the toilet
 Function : To clean the floor, watering flower and grass
 Material : Bidet (Brass), Holder (ABS), Flexi-Hose (S/S)
 Aerator Type : Spray
 Mechanism : Brass
 Installation Type : At The Flexi-Hose
 Application Place : Bathroom, Garden, Outdoor and Etc
 Water Saving Function : Available / Optional
 Water Connector Thread : 1/2 inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7

■ BJW101

■ FG-1.2M

■ 09C



HB-JW106

Water Efficiency
★★★
5.5L/min

Products Name : Hand Bidet Spray Set c/w 1.2m Flexi-Hose & Holder
 Function : To clean your genitals and anus after using the toilet
 Function : To clean the floor, watering flower and grass
 Material : Bidet (Brass), Holder (ABS), Flexi-Hose (S/S)
 Aerator Type : Spray
 Mechanism : Brass
 Installation Type : At The Flexi-Hose
 Application Place : Bathroom, Garden, Outdoor and Etc
 Water Saving Function : Available / Optional
 Water Connector Thread : 1/2 inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7


■ BJW106

■ FG-1.2M

■ 09C

HAND BIDET SERIES

STAINLESS STEEL HAND BIDET



HB-9022-C


Water Efficiency
★★
4.6L/min

Products Name : Hand Bidet Spray Set c/w 1.2m Flexi-Hose & Holder
Function : To clean your genitals and anus after using the toilet
Function : To clean the floor, watering flower and grass
Material : Holder (ABS), Bidet & Flexi-Hose (S/S)
Aerator Type : Spray
Mechanism : Stainless Steel 304
Installation Type : At The Flexi-Hose
Application Place : Bathroom, Garden, Outdoor and Etc
Water Saving Function : Available / Optional
Water Connector Thread : 1/2 inch
Minimum Water Pressure (Bar) : 1
Maximum Water Pressure (Bar) : 7

B9022C

FG-1.2M

09C



HB-9022-BL

Water Efficiency
★★
4.6L/min

Products Name : Hand Bidet Spray Set c/w 1.2m Flexi-Hose & Holder
Function : To clean your genitals and anus after using the toilet
Function : To clean the floor, watering flower and grass
Material : Holder (ABS), Bidet & Flexi-Hose (S/S)
Aerator Type : Spray
Finishing : Black Coating
Mechanism : Stainless Steel 304
Installation Type : At The Flexi-Hose
Application Place : Bathroom, Garden, Outdoor and Etc
Water Saving Function : Available / Optional
Water Connector Thread : 1/2 inch
Minimum Water Pressure (Bar) : 1
Maximum Water Pressure (Bar) : 7

B9022BL

FG-1.2M

09C-BL

PET BIDET



NEW PRODUCT

PB-01

Products Name : Pet Bidet
Function : To clean, massage and shower pets
Material : Bidet (ABS)
Finishing : White Coating
Aerator Type : Spray
Mechanism : ABS
Installation Type : At The Flexi-Hose
Application Place : Bathroom, Garden, Outdoor and Etc
Water Saving Function : Available / Optional
Water Connector Thread : 1/2 inch
Minimum Water Pressure (Bar) : 1
Maximum Water Pressure (Bar) : 7

BIDET SPRAY



A-B222

Description : Bidet Spray
Material : Brass
Finishing : Chromed
Water Saving : Available / Optional




NEW PRODUCT

A-B112

Description : Bidet Spray
Material : Brass
Finishing : Chromed
Water Saving : No

HAND BIDET SERIES

BIDET SPRAY HEAD (NO CONTROL)




HB-BS222

Products Name : Bidet Spray Set c/w Angle Valve & 1.2m Flexi-Hose
 Functions : To clean your genitals and anus after using the toilet
 Function : To clean the floor, watering flower and grass
 Material : Bidet & Angle Valve (Brass), Flexi-Hose (S/S)
 Aerator Type : Spray
 Application Place : Bathroom, Garden, Outdoor and Etc
 Water Saving Function : Available / Optional
 Water Connector Thread : ½ inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7

A-B222

FG-12M

AV222



HB-BS112

Products Name : Bidet Spray Set c/w Angle Valve & 1.2m Flexi-Hose
 Function : To clean your genitals and anus after using the toilet
 Function : To clean the floor, watering flower and grass
 Material : Bidet & Angle Valve (Brass), Flexi-Hose (S/S)
 Aerator Type : Spray
 Application Place : Bathroom, Garden, Outdoor and Etc
 Water Saving Function : Available / Optional
 Water Connector Thread : ½ inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7

A-B112

FG-12M

AV222




HB-BS333

Products Name : Bidet Spray Set c/w Angle Valve & 1.2m Flexi-Hose
 Function : To clean your genitals and anus after using the toilet
 Function : To clean the floor, watering flower and grass
 Material : Bidet & Angle Valve (Brass), Flexi-Hose (S/S)
 Aerator Type : Spray
 Application Place : Bathroom, Garden, Outdoor and Etc
 Water Saving Function : Available / Optional
 Water Connector Thread : ½ inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7

A-B222

FG-12M

AV333




HB-BS112S

Products Name : Bidet Spray Set c/w 1.2m Flexi-Hose & Holder
 Function : To clean your genitals and anus after using the toilet
 Function : To clean the floor, watering flower and grass
 Material : Bidet (Brass), Flexi-Hose (S/S), Holder (ABS)
 Aerator Type : Spray
 Installation Type : At The Flexi-Hose
 Application Place : Bathroom, Garden, Outdoor and Etc
 Water Saving Function : Available / Optional
 Water Connector Thread : ½ inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7

A-B112

FG-12M

09C



HB-BS222S

Water Efficiency
 ★★
 4.9L/min

Products Name : Bidet Spray Set c/w 1.2m Flexi-Hose & Holder
 Function : To clean your genitals and anus after using the toilet
 Function : To clean the floor, watering flower and grass
 Material : Bidet (Brass), Flexi-Hose (S/S), Holder (ABS)
 Aerator Type : Spray
 Installation Type : At The Flexi-Hose
 Application Place : Bathroom, Garden, Outdoor and Etc
 Water Saving Function : Available / Optional
 Water Connector Thread : ½ inch
 Minimum Water Pressure (Bar) : 1
 Maximum Water Pressure (Bar) : 7

A-B222

FG-12M

09C

SHOWER / BIDET HOLDER SERIES



C030
Description : Hand Shower Holder
Material : ABS
Finishing : Chromed



09S
Description : Hand Bidet Holder
Material : ABS
Finishing : Chromed



C626
Description : Hand Shower Holder
Material : ABS
Finishing : Chromed



09C
Description : Hand Bidet Holder
Material : ABS
Finishing : Chromed

SHOWER HOSE SERIES



FG-SS1.0M

Description : Flexible Shower Hose
Material : Stainless Steel, Brass Nut
Usage : Hand Bidet
Finishing : Chromed
Length : 100cm

FG-SS1.2M

Description : Flexible Shower Hose
Material : Stainless Steel, Brass Nut
Usage : Hand Bidet
Finishing : Chromed
Length : 120cm

FG-SS1.8M

Description : Flexible Shower Hose
Material : Stainless Steel, Brass Nut
Usage : Hand Shower / Shower Rail
Finishing : Chromed
Length : 180cm

FG-SS1.5M

Description : Flexible Shower Hose
Material : Stainless Steel, Brass Nut
Usage : Hand Shower / Shower Rail
Finishing : Chromed
Length : 150cm

FG-SS1.5M-EXT

Description : Flexible Shower Hose
Material : Stainless Steel, Brass Nut
Usage : Hand Shower / Shower Rail
Finishing : Chromed
Length : 150cm (ELASTIC - 165cm)

FG-SS2.0M

Description : Flexible Shower Hose
Material : Stainless Steel, Brass Nut
Usage : Hand Shower / Shower Rail
Finishing : Chromed
Length : 200cm



FG-NY1.2M-SV

Description : Flexible Shower Hose
Material : Nylon Reinforced PVC Hose, Brass Nut
Usage : Hand Bidet
Finishing : Grey
Length : 120cm

FG-SS1.5M-SV

Description : Flexible Shower Hose
Material : Nylon Reinforced PVC Hose, Brass Nut
Usage : Hand Shower
Finishing : Grey
Length : 150cm



FG-PVC1.2MSPRING

Description : PVC Elastic Hose
Material : PVC Hose
Usage : Hand Shower / Shower Rail
Finishing : Grey and Chrome
Length : 120cm to 200cm



FG-PVC1.2M-BL

Description : Flexible Shower Hose
Material : PVC Hose, Brass Nut
Usage : Hand Bidet
Finishing : Black
Length : 120cm



FG-NY1.2M-BL

Description : Flexible Shower Hose
Material : Nylon Reinforced PVC Hose, Brass Nut
Usage : Hand Bidet
Finishing : Black
Length : 120cm

FG-NY1.5M-BL

Description : Flexible Shower Hose
Material : Nylon Reinforced PVC Hose, Brass Nut
Usage : Hand Shower
Finishing : Black
Length : 150cm



FG-SS1.2M-BL

Description : Flexible Shower Hose
Material : Stainless Steel, Brass Nut
Usage : Hand Bidet
Finishing : Black
Length : 120cm

FG-SS1.5M-BL

Description : Flexible Shower Hose
Material : Stainless Steel, Brass Nut
Usage : Hand Shower / Shower Rail
Finishing : Black
Length : 150cm